

GMS

INSTRUMENTS

MEASURE, REGULATE AND CONTROL EQUIPMENT

IMPA Listing

01-02-2017

Valid until next version

GMS Instruments B.V. | Driemanssteeweg 190 | 010-293 88 88

270148	00502	Paint thickness gauge (wet) 2000 mu
310101	114287	MSA V-Gard Safety helmet (white) incl. Push-Key suspension
310102	19248	MSA V-Gard safety helmet (blue) incl. Push-Key suspension 1 box=20 pcs
310103	184490	MSA V-Gard safety helmet (yellow) incl. Push-Key suspension 1 box=20 pcs
310104	138672	MSA V-Gard safety helmet (orange) incl. Push-Key suspension 1 box=20 pcs
310105	183301	MSA V-Gard Safety helmet (red) incl. Push-Key suspension 1 box=20 pcs
310122	239081	MSA Fas-Trac III suspension for V-Gard/Super V-Gard/Linesman with sewn in PVC sweatband
310126	239080	MSA Push-Key suspension for V-Gard/Super V-Gard/Linesman with sewn in PVC sweatband
310502	171449	MSA Frame with debris control for V-gard slotted caps 10115730
310504	171441	MSA Frame without debris control for V-gard caps 10121266
310505	171442	MSA Frame without debris control for V-Gard slotted caps Elevated Temperature
310506	199355	MSA Frame, Universal with debris control V-Gard caps
310507	138340	MSA Frame, Universal w/o debris control V-Gard caps
310518	171431	MSA Chin protector, standard for V-Gard caps
310527	184013	MSA Visor (polycarbonate) 10115836 for V-Gard, flat, clear, with side contours 203 x 432 x 1.02 mm
310528	195590	MSA Visor (polycarbonate) 10115837 for V-Gard, flat, Nitrometer, clear, side c. 203 x 432 x 1.02 mm
310540	171112	MSA Visor, PC, clear, AFAS, LONGxSTDxTHK V-Gard 264x432x2.5 mm 10115853
310545	171430	MSA Visor, V-Gard, PC, SH3 235x432x2.49 mm
310547	171127	MSA Visor, V-Gard, PC, SH5 10115862, size 235x457x2,49mm
310548	1411582	MSA Visor, V-Gard, Propionate, clear 10115855, Short Size 203x432x2.49 mm Chin protector
310549	171443	MSA Visor, V-Gard, Propionate, clear 10115856, Short Size 203x432x2.49 mm
310550	171126	MSA Visor, V-Gard, propionate, clear 10115851, Medium Size 235x457x2,49 mm
310556	194836	MSA Winter liner (set of 3 pcs) V-Gard Supreme, flame resistant
310557	117426	MSA Winter liner (set of 3 pcs) V-Gard Supreme, flame resistant extended and quilted flaps for earmuffs
310558	146804	MSA Winter liner (set of 3 pcs) V-Gard Supreme extended with zipper
310559	198378	MSA Winter liner (set of 12 pcs) V-Gard Select, flame retardant quilted flaps for earmuffs
310562	239050	MSA Winter liner (set of 12 pcs) V-Gard, stylish skullie cap
310563	134279	MSA Winter liner (set of 12 pcs) V-Gard, knit hat-cap cover
310564	239051	MSA Winter liner (set of 12 pcs) V-Gard
311015	184600	MSA FlexiChem Sightgard+, clear (set of 6 pcs) 10145578
311031	136020	MSA Perspecta GIV2300 Sightgard goggle soft frame single lens, antifog 6 pcs per box
311051	117588	MSA Perspecta 010 safety glasses clear, anti-condens, p. 12 pcs.
311052	115933	MSA Perspecta 010 safety glasses smoke-colored lens, anti-fog (set 12 pc)
311053	121749	MSA Perspecta 010 safety glasses yellow, anti-condens, 1 box=12 pcs
311054	118085	MSA Perspecta 9000 safety glasses blue mirror lens, per 12 pcs.
311061	157170	MSA OverG Overglasses, clear glass (Set of 12 pcs) TuffStuff
311102	122792	UVEX Wide vision goggle Ultrasonic grey orange band/Supravison HC-AF coating EN170, Type 9302
311511	171620	MSA Workman Light harness, Small 10115526
311512	184601	MSA Workman Light harness, Medium 10115527
311513	184602	MSA Workman Light harness, Large 10115528
311514	171308	MSA Workman Premier Harness, Small 10115541, Leg straps Qwik-fit
311515	184603	MSA Workman Premier harness, Medium 10115542, Leg straps Qwik-fit
311516	171128	MSA Workman Premier Harness, Large 10115543, Leg straps Qwik-fit
311518	179102	MSA Workman Premier harness, Medium 10115545, Leg straps Bajonet
311519	155105	MSA Workman Premier harness, Large 10115546, Leg straps Bayonet
330425	132882_S	MSA AirGO compact breathing apparatus complete
330438	164043	MSA S-CAP Air 15 Escape set 10032181 3 liter 200 bar (filled) 15 minutes
330439	83783	MSA Air cylinder with valve for S-Cap-Air 200 bar 3 ltr (empty)
330506	81200-2	RIKEN Oxygen indicator OX-07_A
330520	81010-2	RIKEN GX-2009 multigas detector EX/OX/CO/H2S incl. charger MED approved Incl. calibration report.
330521	81825-2	RIKEN GX-8000 multi gas detector LEL&VOL%/OX/CO/H2S incl. charger Wheelmarked(MED)
330527	81045-2	RIKEN GX-2012 5-gas multigas detector HC VOL%/LEL/O2/CO/H2S, pumped with charger
330535	01300	Freon leak detector type TIF RX-1 electronic, alkaline batteries spare sensing tip included
330537	81860-2	RIKEN RX-8000 portable gasdetector HC (Iso-butane) +O2 in N2 Wheelmarked (MED) Incl. test certificate
330540	128512	MSA/KWIK-DRAW Basic air sampling pump for gas detector tubes 5146-761
330541	83037_1	MSA/KWIK-DRAW Nitrogen dioxide testtubes 0.5-50 ppm CH30001 / 5085805
330542	83002_1	MSA/KWIK-DRAW Ammonia testtubes 2-500 ppm 804405 6733231 / 5085845
330543	14034_1	MSA/KWIK-DRAW Carbon dioxide testtubes 100-3000 ppm 8101811 / 5086814
330544	83031_1	MSA/KWIK-DRAW Hydrogen Sulphide testtube 1-20/10-200 ppm 6719001 / 5085826
330545	83013_1	MSA/KWIK-DRAW Carbon monoxide testtubes 0.5-7 VOL% CH29901 / 5095835
330546	83034_1	MSA/KWIK-DRAW Chlorine testtubes 0.2-3 ppm CH24301 / 5085801
330547	83028_1	MSA/KWIK-DRAW Sulphur dioxide testtubes 1-25 ppm / 0.5-8 ppm CH31701 / 5085803
330548	14035_1	MSA/KWIK-DRAW Aceton testtubes 100-10000 ppm CH22901 / 5086829
330549	83042_1	MSA/KWIK-DRAW Trichlorethylene testtubes 20-250 ppm 5085842
330550	83023_1	MSA/KWIK-DRAW Toluene testtubes 5-1000 ppm 8101661/5085828
330560	83862	MSA/KWIK-DRAW Gastester II excl etui Wheelmark approved
330561	12402	DRAGER Hydrocarbon 0.1%/c 8103571 0.1 - 1.3 VOL% (old CH26101)
330562	14496	DRAGER Ammonia 5/a CH20501 5-70 ppm
330563	12162	DRAGER Carbon Dioxide 0.1%/a CH23501 0.1-1.2%/0.5-6% VOL
330564	14071	DRAGER Carbon Dioxide 1%/a CH25101 1-20vol%
330565	19799	DRAGER Carbon Monoxide 0,3%/b CH29901 0.3-7 VOL%
330566	80203	DRAGER Natural Gas Test CH20001 5 pcs in box
330567	15838	DRAGER Sulphur Dioxide 1/a CH31701 1-25 ppm
330568	12094	DRAGER Carbon Monoxide 5/c CH25601 5-150ppm/100-700 ppm
330569	80205	DRAGER Oxygen 5%/b 6728081 5-23 VOL% (p.8 pcs)

IMPA Nummer	Artikel	Artikelomschrijving
330570	!5742	DRAGER Carbon Dioxide 100/a 8101811 100-3000 ppm
330571	!4581	DRAGER Carbon Dioxide 0.5%/a CH31401 0.5 - 10 Vol%
330572	390104	DRAGER X-ACT 5000 Excl. battery, charger + hose
330573	390103	DRAGER X-ACT 5000 NiMH Battery
330576	135455	DRAGER X-ACT 5000 Charging Plug 100-240VAC
330578	!9638	DRAGER Extension hose 15 mtr. 6400079 ACCURO
330579	149584	DRAGER Extension hose 30 mtr. X-act 5000, incl adapters
330596	83625	MSA Altair 5X Multigas detector EX(%LEL)/OX/CO/H2S incl. charger, color display, datalogging, motion alert
330598	83930	MSA Altair 4X EX/OX/CO/H2S with charger, datalogging and motion alarm 3-year warranty (sensors).
331071	110998_1	SOLO 461 heat detector test kit with charger (100-240 volt)
331073	113347_1	SOLO 330 Smoke detector tester dial max. 100 mm
331074	113348_1	Testgas Smoke detectors for SOLO series 250 ml. UN1950
331080	183907	SOLO 822 Smoke & Heat detector tester containing SOLO 330/461/100/200/610 pole 6 mtr, removal tool, carrying bag
331097	198503	TESTIFIRE T53 replacement capsule for smoke
331121	115183	MSA Respirator Advantage 200 LS Small 430357
331122	83801	MSA Respirator Advantage 200 LS Medium 430356
331123	110013	MSA Respirator Advantage 200 LS Large 430358
331135	83604	MSA Full face mask model 3-S 2055-000
331137	115138	MSA Full face mask model 3S Silicone 2055-718
331139	83775	MSA gasfilter 88 A2B2E2K2/P2 1061-703 3-S, 3100
331140	83779	MSA Gasfilter 93 ABEK2Hg/P3 for 3-S, 3100, 410
331142	130737	Chemical splash goggle - wide vision anti-fog
331146	128027	MSA OptimAir 3000A unit w.160 l airflow, mask w/hose, 1 pck of 10 particle filter NiMH battery, charger &decon belt
331164	124148	MSA Chinstrap for V-Gard Safety Helmet
331166	132849	MSA Earmuff leftRIGHT white, medium Vgard, SNR 28, 1 box=20 pcs, helmet mounted
331221	80106	LION alcohol breath analyser 500 Incl. calibration certificate DOT-approved
331223	138104	ALCOMATE AL6000 alcohol breath analyzer incl. 5 mouth pieces, leather pouch and wrist belt (No calibration certificate!)
331225	146526	DRIVESAFE 2 alcohol breath analyser 34314
331232	111881	MSA Advantage 3221 full face mask with click system, size m 10027726
331243	!5356	MSA gasfilter ABEK-1 (set 2pcs) 430373 Advantage 100/200/1000/3221
331244	83804	MSA gasfilter ABEK/P3 (set 2 st) 430374 Advantage 100/200/1000/2000/3000/3221
331252	159455	MSA Earmuff leftRIGHT yellow, low V-Gard, SNR24, 1 box=20 pcs headband
331253	183294	MSA Earmuff leftRIGHT blue Low V-Gard, SNR24, 1 box=20 pcs headband
331254	138579	MSA Earmuff leftRIGHT white, medium V-Gard, SNR28 1 box=20 pcs, headband
331255	138597	MSA Earmuff leftRIGHT yellow, medium V-Gard, SNR28, 1 box=20 pcs, headband
331256	138596	MSA Earmuff leftRIGHT blue, medium V-Gard, SNR28, 1 box=20 pcs, headband
331258	195104	MSA Earmuff left/RIGHT Yellow high V-Gard, SNR33, 1 box=20 pcs headband
331259	136317	MSA Earmuff leftRIGHT blue high V-Gard, SNR33, 1 box=20 pcs headband
331261	146105	MSA Earmuff leftRIGHT White low V-Gard, SNR25, 1 box=20 pcs helmet mounted
331262	146106	MSA Earmuff leftRIGHT yellow, low V-Gard, SNR25, 1 box=20 pcs helmet mounted
331265	138240	MSA Earmuff leftRIGHT yellow medium V-Gard, SNR28, 1 box=20 pcs helmet mounted
331266	133606	MSA Earmuff leftRIGHT blue medium V-Gard, SNR28, 1 box=20 pcs, helmet mounted
331269	162412	MSA Earmuff leftRIGHT blue high V-Gard, SNR31, 1 box=20 pcs helmet mounted
331423	128593_1	SOLO 108 extension pole 2,5 meter 2 sections
331424	113346_1	SOLO 100 extension pole 4.5 m 4 sections
331425	110999_1	SOLO 101 extension pole 1,3 meter
331626	!5168	DRAGER Acetic Acid 5/a 6722101 5-80 ppm
331627	390110	DRAGER Methanol 25/a 8103801 20-5000 ppm
331628	138315	DRAGER Benzene 0,25/a 8103691 0.25-10 ppm
331630	!5175	DRAGER Benzene 2/a 8101231 2-60 ppm (5 tube in box)
331631	!3920	DRAGER Carbon Monoxide 2/a 6733051 2-60/10-300 ppm
331632	111491	DRAGER Carbon Monoxide 10/b CH20601 10-3000 ppm
331633	!1525	DRAGER Hexane 100/a 8103681 100-3000 ppm
331634	!0393	DRAGER Hydrogen Sulphide 1/c 6719001 1-200 ppm
331635	116255	DRAGER Hydrogen Sulphide 1/d 8101831 1-20 /10-200 ppm
331636	!5027	DRAGER Hydrogen Sulphide 100/a CH29101 100-2000 ppm
331637	124970	DRAGER Mercaptan 0.1/a 8103281 0.1-2.5 ppm/3-15 ppm
331638	!2864	DRAGER Mercaptan 0.5/a 6728981 0.5-5 ppm
331639	!4932	DRAGER Methyl Acrylaat 5/a 6728161 5-200 ppm
331640	!5189	DRAGER Methyl Bromide 5/b CH27301 5-50 ppm
331642	!6764	DRAGER Petroleum Hydrocarbons 100/a 100-2500 ppm
331643	!1524	DRAGER Phenol 1/b 8101641 1-20 ppm
331644	!2017	DRAGER Phosphine 0.1/c 8103711 0.1-3 ppm CH31101
331645	111000	DRAGER Styrene 10/b 6733141 10-250 ppm
331646	!9376	DRAGER Sulphuric Acid 1/a 6728781 1-5 mg/m3 9pcs. in box
331647	!9404	DRAGER Sulphur Dioxide 0.5/a 6728491 0.5-25 ppm
331648	!4952	DRAGER Vinyl Chloride 0.5/b 8101721 0.5-30 ppm
331649	!1526	DRAGER Toluene 5/b 8101661 5-80 / 50-300 ppm
331650	!2908	DRAGER Xylene 10/a 6733161 10-400 ppm
331651	199890	UNIPHOS Air Sampling Pump ASP-40
331652	239074	UNIPHOS Acetylene testtubes SAL-5 100-5000 ppm
331653	183267	UNIPHOS Ammonia testtubes SAM-4M 5-150/10-300/20-600 ppm
331654	195592	UNIPHOS Carbon Dioxide tubes SCD-7 0.125-1.5/0.25-3/0.5-6%
331655	194141	UNIPHOS Carbon disulphide tubes SCS-5M 50-1600 ppm
331656	195437	UNIPHOS Carbon Monoxide testtubes SCO-4 50-1000 ppm
331657	183239	UNIPHOS Chlorine testtubes SCL-1M 0.25-5/0.5-10 ppm

IMPA Nummer	Artikel	Artikelomschrijving
331658	183290	UNIPHOS Chloroform testtubes SCF-3 10-100 ppm
331659	239075	UNIPHOS Ethylene Oxide testtubes SEO-7 0.025-1.5%
331660	184000	UNIPHOS Hydrogen chloride tubes SHC-2M 2-20 ppm
331661	155294	UNIPHOS Hydrogen cyanide tubes SHN-2 1.25-25/2.5-50/5-100 ppm
331662	183453	UNIPHOS Hydrogen Fluoride tubes SHF-2 0.5-30 ppm
331664	195431	UNIPHOS Hydrogen Sulphide tubes SHS-3 2.5-50/5-100/10-200 ppm
331665	199862	UNIPHOS Methanol testtubes SME-8L 0.05-6.0%
331666	239076	UNIPHOS Methyl amine tubes SMA-3 5-100 ppm
331667	199854	UNIPHOS Nitric Acid testtubes SNA-2M 1-20 ppm
331668	199422	UNIPHOS Nitrogen Dioxide testtubes SND-2 0.5-30 ppm
331668	195584	UNIPHOS Nitrogen Oxides testtubes SNO-4L 20-250 ppm
331669	239077	UNIPHOS Phosgene testtubes SPG-1 0.1-10 ppm
331670	199423	UNIPHOS Sulphur Dioxide testtubes SSD-3 2.5-50/5-100/10-200 ppm
331671	199403	UNIPHOS Toluene testtubes STO-4M 10-300 ppm
370147	138405	MSA Earmuff with communication system headset model CC with headband SNR28 for Kenwood radio ATEX 7759X
370148	239078	MSA Earmuff with communication system headset model CC helm mounted SNR27 for Kenwood radio ATEX 7759X
370201	00481	Radio Room Clock, Quartz, dial 100mm
370204	00480-B	Marine Clock, quartz 200 mm
370207	00393	Chronometer Quartz in wooden box Marine
370212	129474	Stopwatch, analogue accuracy of 1/10 second
370213	00392	Stopwatch, digital. Race
370231	00449	Planimeter, digital
370241	00496	Clinometer, 130 mm brass
370242	00497	Clinometer, libel type 152 x 95 mm. 2 scales
370246	134016-1	Barometer, 150 mm. diameter
370246B	134016	Barometer, 80 mm. diameter
370247	134017	Barometer, 180 mm. diameter
370251	00471	Wet & Dry bulb hygrometer C
370256	00204	Dial Thermo/Hygrometer, Brass.
370256B	00204-B	Dial Thermo/Hygrometer, plastic case
370256CERT	00204CERT	Dial Thermo/Hygrometer, Brass. Incl. Certificate
370258	00652-B	EXTECH Thermo-hygrometer pen type 10-90% rh -10/+50 C max/min data hold
370261	00470	Slingsychrometer
370266	00206	Polymeter
370271	126073	Hand Anemometer Xplorer 3 incl. case, temperature, windspeed, Elec.compas UN3091
370286	00492	BARIGO barograph model 2018
370287	!7602	Barographpaper for 1 year(7 days)
370301	135191	Sounding lead , including 40 mtr. rope. 5 kg
370301B	128643	Sounding lead 3,0 kg
370309	180551	sounding rod lengte 1 meter, 5 foldings
370310	192263	Sounding lead, 1.5m, 9 pieces
371027	00460	Magnifying Glass 90 mm
371053	821850	Magnifiers with stand, Magnifi. 3x/5x Lens dia. 100 mm, Lighting 12 Watt
391369	194343	Sphygmomanometer Digital, Fully automatic for upper arm. Blood pressure.
450325	00360	Antivries tester / Glycol tester
471855	00395	Handteller model 100813
550914	00291_S	Glycerine in plastic bottle a 1 liter.
590801	00711	Airline filter G1/4" AF2000-02 mini
590802	00741	Airline filter G3/8" AF3000-03
590803	00742	Airline filter G1/2" AF4000-06
590803	190062	Airline filter G1 1/4" AF800-12
590804	00773	Airline filter G3/4" AF50-F06
590805	150096	Airline filter G1" AF60-F10
590811	00731	Airline Lubricator G1/4" AL2000-02 mini
590812	00761	Airline Lubricator G3/8" AL3000-03
590813	00762	Airline Lubricator G1/2" AL4000-06
590814	00793	Airline Lubricator G3/4" AL5000-06
590815	115098	Airline Lubricator, G1" AL6000-10
590821	00721_S	Airline pressure regulator G1/4" AR20-F02 set press 0.05~0.85MPa incl. pressure gauge 30014
590822	00751_S	Airline pressure regulator G3/8" AR3000-03 set press 0.05~0.85MPa incl. pressure gauge 30014
590823	00752_S	Airline pressure regulator G1/2" AR4000-04 set press 0.05~0.85MPa incl. pressure gauge 30014
590824	00783_S	Airline pressure regulator G3/4" AR5000-06 set press 0.05~0.85MPa incl. pressure gauge 31114
590825	115486_S	Airline pressure regulator G1" AR60-F10 set press 0.05~0.85MPa incl. pressure gauge 31114
590831	111067	Airline filter/lubrication/reduceer combinatie EAC-2000-02 G1/4" excl. pressure gauge 30014
590832	125163	Airline filter/lubrication/reduceer combinatie EAC-3000-F003 G3/8 excl. pressure gauge 30014
590833	150018_S	Airline filter/lubrication/reduceer combinatie AC40 F04 1/2 excl. pressure gauge 30014
590834	151356_S	Airline filter/lubrication/reduceer combinatie AC50- F06 3/4
590835	190086	AIRLINE FRL Combinations PT1" 0-05/0.85Mpa
616578	00541	Strap wrench max. 140 mm.
617026	126105	Leak detector Super color check Cleaner-Penetrant-Developer
650101	197815	Precision Outside Caliper, rivetted hinge 100mm
650103	820828	Outside Caliper, rivet hinge 150mm
650104	820829	Outside Caliper, rivet hinge 200mm
650105	820830	Outside Caliper, rivet hinge 250mm
650106	810528	Precision Inside Caliper, rivetted hinge 300mm
650106	820831	Outside Caliper, rivet hinge 300mm

IMPA Nummer	Artikel	Artikelomschrijving
650108	820832	Outside Caliper, rivet hinge 400mm
650109	820833	Outside Caliper, rivet hinge 500mm
650110	810541	Precision Outside Caliper,rivetted hinge 600mm
650111	810542	Precision Outside Caliper,rivetted hinge 800mm
650112	810543	Precision Outside Caliper,rivetted hinge 1000mm
650122	820859	Outside Caliper, Quick acting set screw 125mm Hardened Points
650123	820860	Outside Caliper, Quick acting set screw 150mm Hardened Points
650124	820861	Outside Caliper, Quick acting set screw 200mm Hardened Points
650125	820862	Outside Caliper, Quick acting set screw 250mm Hardened Points
650126	820863	Outside Caliper, Quick acting set screw 300mm Hardened Points
650133	820834	Outside Caliper, screw hinge 150mm
650134	820835	Outside Caliper, screw hinge 200mm
650135	820836	Outside Caliper with 2,16 spring 250mm
650136	820837	Outside Caliper, screw hinge 300mm
650151	197817	Precision Inside Caliper, rivetted hinge 150mm
650152	197816	Precision Inside Caliper, rivetted hinge 125mm
650153	820816	Inside Caliper, rivet hinge 150mm
650154	820817	Inside Caliper, rivet hinge 200mm
650155	820818	Inside Caliper, rivet hinge 250mm
650156	820819	Inside Caliper, rivet hinge 300mm
650158	820820	Inside Caliper, rivet hinge 400mm
650159	820821	Inside Caliper, rivet hinge 500mm
650160	810531	Precision Inside Caliper, rivetted hinge 600mm
650161	810532	Precision Inside Caliper, rivetted hinge 800mm
650162	810533	Precision Inside Caliper, rivetted hinge 1000mm
650171	810585	Spring Inside Caliper, 100mm, Quick acting set screw
650172	820854	Inside Caliper, Quick acting set screw 125mm Hardened Points
650173	820855	Inside Caliper, Quick acting set screw 150mm Hardened Points
650174	820856	Inside Caliper, Quick acting set screw 200mm Hardened Points
650175	820857	Inside Caliper, Quick acting set screw 250mm Hardened Points
650176	820858	Inside Caliper, Quick acting set screw 300mm Hardened Points
650183	820822	Inside Caliper, screw hinge 150mm
650184	820823	Inside Caliper, screw hinge 200mm
650185	820824	Inside Caliper, screw hinge 250mm
650186	820825	Inside Caliper, screw hinge 300mm
650212	820798	Divider, rivet hinge, hardened Points 100mm
650214	820792	Divider, rivet hinge, hardened Points 150mm
650215	820793	Divider, rivet hinge, hardened Points 200mm
650216	820794	Divider, rivet hinge, hardened Points 250mm
650217	820795	Divider, rivet hinge, hardened Points 300mm
650219	820796	Divider, rivet hinge, hardened Points 400mm
650221	820797	Divider, rivet hinge, hardened Points 500mm
650222	810511	Precision Divider with rivetted hinge 600mm
650223	810512	Precision Divider with rivetted hinge 800mm
650225	810513	Precision Divider with rivetted hinge 1000mm
650232	810573	Spring Divider Quick-acting set screw 100mm
650233	820843	Spring Divider, Quick acting set screw 125mm Hardened Points
650234	820844	Spring Divider, Quick acting set screw 150mm Hardened Points
650235	820845	Spring Divider, Quick acting set screw 200mm Hardened Points
650236	820846	Spring Divider, Quick acting set screw 250mm Hardened Points
650237	820847	Spring Divider, Quick acting set screw 300 mm Hardened Points
650301	820280	Outside Micrometer , 0,01 mm 0 - 25mm, Carbide surfaces DIN 863
650302	820281	Outside Micrometer , 0,01 mm 25 - 50mm, Carbide surfaces DIN 863
650303	820282	Outside Micrometer , 0,01 mm 50 - 75mm, Carbide surfaces DIN 863
650304	820283	Outside Micrometer , 0,01 mm 75 - 100mm, Carbide surfaces DIN 863
650305	820284	Outside Micrometer , 0,01 mm 100 - 125mm, Carbide surfaces DIN 863
650306	820285	Outside Micrometer , 0,01 mm 125 - 150mm, Carbide surfaces DIN 863
650307	812675	Outside Micrometer Carbide Faces 150 - 175mm Resolution 0,01mm,
650308	820290	Outside Micrometer , 0,01 mm 175 - 200mm, Carbide surfaces DIN 863
650309	820291	Outside Micrometer , 0,01 mm 200 - 225mm, Carbide surfaces DIN 863
650310	820292	Outside Micrometer , 0,01 mm 225 - 250mm, Carbide surfaces DIN 863
650311	820293	Outside Micrometer , 0,01 mm 250 - 275mm, Carbide surfaces DIN 863
650312	820294	Outside Micrometer , 0,01 mm 275 - 300mm, Carbide surfaces DIN 863
650315	802812	MICROMETER Outside 300-400mm 0.01mm graduation
650316	802813	40AG MICROMETER 375-400mm
650317	802814	40AG MICROMETER 400-425mm
650341	131235	Outside Micrometer, with Counter, range 0 - 25 mm. per 0.01 mm. carbide tipped
650342	820389	MICROMETER OUTSIDE 25-50MM IN 0.01MM GRADUATION DIN 863, pitch 0,5mm
650343	820390	Outside Micrometer with Counter, 50 - 75 mm, 0,01mm, carbide tipped DIN 863, pitch 0,5mm
650344	820391	Outside Micrometer with Counter, 75 - 100 mm, 0,01mm, carbide tipped DIN 863, pitch 0,5mm
650345	180447	Outside Micrometer, Mitutoyo 0-150 mm. per 0.01 mm. carbide tipped
650346	117768	Outside Micrometer, with Counter, range 125 - 150 mm. per 0.01 mm. carbide tipped
650347	131236	Outside Micrometer, with Counter, range 150 - 175 mm. per 0.01 mm. carbide tipped
650348	131237	Outside Micrometer, with Counter, range 175 - 200 mm. per 0.01 mm. carbide tipped
650353	820397	Outside Micrometer with Counter, 300-325 mm, 0,01mm, carbide tipped
650381	820318	Outside Micrometer, Carbide tipped, 0,01mm, 0 - 100mm Interchangeable Anvils, DIN 863-3

IMPA Nummer	Artikel	Artikelomschrijving
650382	820319	Oustide Micrometer, Carbide tipped, 0,01mm, 100 - 200mm Interchangeable Anvils, DIN 863-3
650383	820321	Oustide Micrometer, Carbide tipped, 0,01mm, 200 - 300mm Interchangeable Anvils, DIN 863-3
650384	820323	Oustide Micrometer, Carbide tipped, 0,01mm, 300 - 400mm
650385	820324	Oustide Micrometer, Carbide tipped, 0,01mm, 400 - 500mm
650386	820325	Oustide Micrometer, Carbide tipped, 0,01mm, 500 - 600mm Interchangeable Anvils, DIN 863-3
650387	820326	Oustide Micrometer, Carbide tipped, 0,01mm, 600 - 700mm Interchangeable Anvils, DIN 863-3
650388	820327	Oustide Micrometer, Carbide tipped, 0,01mm, 700 - 800mm Interchangeable Anvils, DIN 863-3
650389	820328	Oustide Micrometer, Carbide tipped, 0,01mm, 800 - 900mm Interchangeable Anvils, DIN 863-3
650390	820329	Oustide Micrometer, Carbide tipped, 0,01mm, 900 - 1000mm Interchangeable Anvils, DIN 863-3
650402	812824	Inside Micrometer, Cylindrical type 50 - 75mm, Carbide Measuring faces Resolution 0,01mm
650403	812825	Inside Micrometer, Cylindrical type 75 - 100mm, Carbide Measuring faces Resolution 0,01mm
650404	812826	Inside Micrometer, Cylindrical type 100 - 125mm, Carbide Measuring faces Resolution 0,01mm
650405	812827	Inside Micrometer, Cylindrical type 125 - 150mm, Carbide Measuring faces Resolution 0,01mm
650406	812828	Inside Micrometer, Cylindrical type 150 - 175mm, Carbide Measuring faces Resolution 0,01mm
650407	812829	Inside Micrometer, Cylindrical type 175 - 200mm, Carbide Measuring faces Resolution 0,01mm
650408	812830	Inside Micrometer, Cylindrical type 200 - 225mm, Carbide Measuring faces Resolution 0,01mm
650409	812831	Inside Micrometer, Cylindrical type 225 - 250mm, Carbide Measuring faces Resolution 0,01mm
650409	165593	Inside Micrometer, Cylindrical type 225 - 250mm, Carbide Measuring faces Resolution 0,01mm
650410	812832	Inside Micrometer, Cylindrical type 250 - 275mm, Carbide Measuring faces Resolution 0,01mm
650411	812833	Inside Micrometer, Cylindrical type 275 - 300mm, Carbide Measuring faces Resolution 0,01mm
650412	812834	Inside Micrometer, Cylindrical type 300 - 325mm, Carbide Measuring faces Resolution 0,01mm
650413	812835	Inside Micrometer, Cylindrical type 325 - 350mm, Carbide Measuring faces Resolution 0,01mm
650414	812836	Inside Micrometer, Cylindrical type 350 - 375mm, Carbide Measuring faces Resolution 0,01mm
650415	812837	Inside Micrometer, Cylindrical type 375 - 400mm, Carbide Measuring faces Resolution 0,01mm
650416	812838	Inside Micrometer, Cylindrical type 400 - 425mm, Carbide Measuring faces Resolution 0,01mm
650417	812839	Inside Micrometer, Cylindrical type 425 - 450mm, Carbide Measuring faces Resolution 0,01mm
650418	812840	Inside Micrometer, Cylindrical type 450 - 475mm, Carbide Measuring faces Resolution 0,01mm
650419	812841	Inside Micrometer, Cylindrical type 475 - 500mm, Carbide Measuring faces Resolution 0,01mm
650441	116172	Binnen micrometer in houten kist, bereik 50 - 150 mm. per 0.01 mm.
650442	114742	Binnen micrometer in houten kist, range 50 - 300 mm. per 0.01 mm.
650443	820394	Inside Micrometer Set, DIN 863-4 50-600mm, 0,01mm, Carbide tipped
650444	146058	Inside Micrometer Set, DIN 863-4 100-1300 mm, 0,01mm, Carbide tipped
650445	820396	Inside Micrometer Set, DIN 863-4 50-1450mm, 0,01mm, Carbide tipped
650446	197818	Inside Micrometer Set 150 - 2000 mm. per 0.01 mm. Carbide Tipped
650451	118871	Inside Groove Micrometer 5 - 30 mm. per 0.01 mm.
650452	113767	Inside Groove Micrometer 1801
650454	134978	Inside Groove Micrometer 75 - 100 mm. per 0.01 mm.
650454	134975	Inside Groove Micrometer 50-75per 0.01 mm.
650461	175465	Inside Groove Micrometer 5 - 30 mm. per 0.01 mm.
650462	197812	INSIDE GROOVE MICROMETER 25 - 50 mm. per 0.01 mm. DIGITAL
650471	131242	Depth Micrometer, 0-25mm, graduation 0,01mm, base 63mm
650472	820347	Depth Micrometer, 0 - 25mm, graduation 0,01mm,, base 100mm
650476	197822	Depth Micrometer, exchang. Inserts 0-200x100mm Resolution 0,01mm
650477	931166	Depth Micrometer, slideable rod, 0-250 mm Resolution 0,01mm
650478	812810	Depth Micrometer, exchang. Inserts 0-300x100mm Resolution 0,01mm
650503	143645	Caliper, Pocket, Stainless Steel, 0,05 mm-1/128", locking screw 200x50mm, DIN 862
650506	810109	Caliper incl. Outside Leaves, Metric 500 x 125mm, without Fine Adjustment
650507	810111	Caliper incl. Outside Leaves, Metric 600 x 150mm, without Fine Adjustment
650508	810113	VERNIER CALIPER 1000MM, metric.
650511	820214	Caliper, Pocket, Stainless Steel, 0,05mm, locking screw 150x40mm, DIN 862
650521	820196	Digital Caliper, Pocket, Stainless Steel 0,001mm-0,0005", 150x40mm
650536	820251	Depth Gauge, Stainless Steel, 1/20mm, 150mmx100mm with locking screw
650537	820252	Depth Gauge, Stainless Steel, 200mm with locking screw
650538	810432	Depth Gage with straight Beam St.Steel 12x4 250 x 130mm, 1/20
650539	820253	Depth Gauge, Stainless Steel, 1/20mm, 300mmx125mm with locking screw
650541	810434	Depth Gage with straight Beam St.Steel 12x4 400 x 150mm, 1/20
650544	810437	Depth Gage with straight Beam St.Steel 20x5 800 x 250mm, 1/20
650544	194368	Depth Gage with straight Beam St.Steel 20x5 600 x 250mm, 1/20
650545	810438	Depth Gage with straight Beam St.Steel 20x5 1000 x 250mm, 1/20
650552	197806	Feeler Gauge, 10 Leaves, range 0.03- 0,5mm. Length 100mm
650553	821082	Feeler Gauge 0,05-1,00mm 13 Leaves 150 x 13mm
650554	821083	Feeler Gauge 0,05-0,50mm 8 Leaves 200 x 13mm
650555	821084	Feeler Gauge 0,05-0,50mm 8 Leaves 300 x 13mm 0.05/0.1/0.15/0.20/0.25/0.30/0.40/0.50
650556	821085	Feeler Gauge 0,03-3,00mm 13 Leaves 75 x 13mm
650557	821086	Feeler Gauge 0,01-1,00mm 13 Leaves 100 x 13mm
650558	821087	Feeler Gauge 0,01-1,00mm 13 Leaves 150 x 13mm
650558	351298	Feeler Gauge 20 leaves 0,10-2,00mm, length 150mm,
650560	820935	Feeler Gauge 20 leaves 0,05-1,00mm, length 100mm,
650561	821088	Feeler Gauge 0,03-0.80mm 19 Leaves 150 x 13mm
650563	821872	Feeler Gauge Set, 32 Leaves 0,03-1,00mm, length 100mm,
650581	113764	Feeler Gauge, 13 leaves, range 0.05 - 1.00 mm, length 300mm
650582	197805	Feeler Gauge, 8 Leaves, range 0.05 - 0,5 mm. Length 400mm
650583	197824	Feeler Gauge, 8 Leaves, range 0.05 - 0,5 mm. Length 500mm
650583	170629	Feeler Gauge, 8 Leaves, range 0.05 - 0,5 mm. Length 600mm
650585	137325	Feeler gauge 0.04-0.30 mm 800 mm
650586	170887	motor gap gauge 1000mm

IMPA Nummer	Artikel	Artikelomschrijving
650601	820980	Screw Pitch Gauge Whitworth 24St. 4-60 screw pitch/"
650602	820982	Screw Pitch Gauge metric u.Whitw. 52St. combined , 0.25-6.00 / 4-62 Gebruik 820979
650603	820984	Screw Pitch Gauge metric SI 20St. 0,40- 7,0mm
650607	820989	Screw Pitch Gauge UNF. 16St. 4 -80 screw pitch/"
650623	166516	Screw cutting gauge round 29 Deg. 2 -8 Threads
650624	821094	Thread Gauge ACME (2-12mm) 60 x 20mm,
650631	821095	Angled Thread Cutter Gauge, 55° Whitw. 74 x 24mm, with graduation BSW
650633	821096	Angled Thread Cutter Gauge, 60° Metric, 0.4 x 7.0mm, with graduation
650652	821110	Wire and Drill Gauge 0,1-10,0mm, pitch 0,1mm
650653	181747	DRILL GAUGE 6.0-13MM, 0.1MM interval
650714	00301	Maatglas 100 cc hoog model
650717	00304	Maatglas 1000 cc hoog model
650732	821682	Cylindrical Dynamometer 0 - 1,0 Kg, Graduation 10 Gr.
650733	821683	Cylindrical Dynamometer 0 - 2,5 Kg, Graduation 25 gram.
650735	821684	Cylindrical Dynamometer 0 - 5,0 Kg, Graduation 25 Gram
650737	821685	Cylindrical Dynamometer 0 - 10,0 Kg, Graduation 200 Gr.
650739	137347	Cylindrical Dynamometer 0 - 25,0 Kg, Graduation 200 Gr.
650752	821731	Dial-Dynamometer, reading in 0,1 kg 0- 50 kg Range
650755	821734	Dial-Dynamometer, reading in 0,5 kg 0-100 kg Range
650756	821735	Dial-Dynamometer, reading in 1,0 kg 0-150 kg Range
650757	888011	Dial-Dynamometer, 0-200 Kg
650758	821737	Dial-Dynamometer, reading in 2,0 kg 0-300 kg Range
650802	820453	Straight Edge 300mm, with graduation chrome plated
650804	820438	Straight Edge, Steel 1000mm 1000mm, with graduation
650805	820456	Straight Edge, wit bevelled edge, 1500mm, with graduation chrome plated
650806	820457	Straight Edge, wit bevelled edge, 2000mm, with graduation chrome plated
650851/56	130727	Oil gauging tape 15mtr. Tape oil gauge steelwhite tape MM& Inch
650852/57	132778	Oil gauging tape 20mtr. Tape oil gauge steelwhite tape MM& Inch
650853/58	129499	Oil gauging tape 30mtr. Tape oil gauge steelwhite tape MM& Inch
650871/76	131220	Oil gauging tape 15mtr. Tape oil gauge stainless steel MM/Inch
650872/77	131221	Oil gauging tape 20mtr. RVS Tape oil gauge stainless steel MM/Inch
650873/78	131222	Oil gauging tape 30mtr. Tape oil gauge stainless steel MM/Inch
650890	00415	Water finding paste 65 grm
650891	00416	Oil finding paste
650904	820441	Straight Edge, chrome coated 300mm, without graduation
650905	820442	Straight Edge, chrome coated 500mm, without graduation
650909	820443	Straight Edge, chrome coated 1000mm, without graduation
650919	820447	Straight Edge, wit bevelled edge, 400mm, without graduation chrome plated
650920	820448	Straight Edge, wit bevelled edge, 1000 mm, without graduation chrome plated
650924	820449	Straight Edge, wit bevelled edge, 1000mm, without graduation chrome plated
650925	820450	Straight Edge, wit bevelled edge, 1500mm, without graduation chrome plated
650933	820131	Square, Carpenter, Zinc Coated, 600 x 280mm
650936	810761	Workshop Square 75 x 50mm DIN 875/1 Flat
650937	820068	Square, Workshop, Flat, DIN 875/1 75 x 50mm
650940	820070	Square, Workshop, Flat, DIN 875/1 150 x 100mm
650941	820071	Square, Workshop, Flat, DIN 875/1 200 x 130mm
650943	820072	Square, Workshop, Flat, DIN 875/1 300 x 180mm
650944	820074	Square, Workshop, Flat, DIN 875/1 400 x 265mm
650945	820075	Square, Workshop, Flat, DIN 875/1 600 x 330mm
650946	820076	Square, Workshop, Flat, DIN 875/1 600 x 400mm
650947	820077	Square, Workshop, Flat, DIN 875/1 750 x 400mm
650948	820078	Square, Workshop, Flat, DIN 875/1 1000 x 660mm
650952	820033	Square, Workshop, Flat DIN 875/2 75 x 50mm
650953	820034	Square, Workshop, Flat DIN 875/2 100 x 70mm
650955	820035	Square, Workshop, Flat DIN 875/2 150 x 100mm
650956	820036	Square, Workshop, Flat DIN 875/2 200 x 130mm
650957	820037	Square, Workshop, Flat DIN 875/2 250 x 165mm
650958	820038	Square, Workshop, Flat DIN 875/2 300 x 175mm
650959	820039	Square, Workshop, Flat DIN 875/2 400 x 200mm
650960	820040	Square, Workshop, Flat DIN 875/2 500 x 250mm
650961	820041	Square, Workshop, Flat DIN 875/2 600 x 300mm
650962	820042	Square, Workshop, Flat DIN 875/2 750 x 375mm
650963	820043	Square, Workshop, Flat DIN 875/2 1000 x 500mm
650967	820046	Square, Workshop, with base DIN 875/1 100 x 70 mm
650968	820047	Square, Workshop, with base DIN 875/1 100 x 70mm
650970	820048	Square, Workshop, with base DIN 875/1 150 x 100mm
650971	820049	Square, Workshop, with base DIN 875/1 200 x 130mm
650972	820050	Square, Workshop, with base DIN 875/1 250 x 165mm
650973	820051	Square, Workshop, with base DIN 875/1 300 x 180mm
650974	820052	Square, Workshop, with base DIN 875/1 400 x 230
650975	820053	Square, Workshop, with base DIN 875/1 600 x 330mm
650976	820054	Square, Workshop, with base DIN 875/1 600 x 400mm
650977	820029	Square, Workshop with base DIN 875/2 750 x 375mm
650977	820055	Square, Workshop, with base DIN 875/1 750 x 375mm
650978	820056	Square, Workshop, with base DIN 875/1 1000 x 660mm
650982	820020	Square, Workshop with base DIN 875/2 75 x 50mm

IMPA Number	Artikel	Artikelomschrijving
650983	820021	Square, Workshop with base DIN 875/2 100 x 70mm
650985	820022	Square, Workshop with base DIN 875/2 150 x 100mm
650986	820023	Square, Workshop with base DIN 875/2 200 x 130mm
650987	820024	Square, Workshop with base DIN 875/2 250 x 165mm
650988	820025	Square, Workshop with base DIN 875/2 300 x 175mm
650989	820026	Square, Workshop with base DIN 875/2 400 x 200mm
650990	820027	Square, Workshop with base DIN 875/2 500 x 250mm
650991	820028	Square, Workshop with base DIN 875/2 600 x 300mm
650993	820030	Square, Workshop with base DIN 875/2 1000 x 500mm
651002	820436	Combination Protractor, 4-pieces 300mm, 2 scales, satin chromed
651022	811248	Surface plate 300 x 200mm
651025	820892	Surface Plate, Cast Iron, DIN 876/3 300 x 300mm
651026	820893	Surface Plate, Cast Iron, DIN 876/3 400 x 300mm
651053	820639	V-Block Pair, Cast Iron Grade 1 for 8 - 90mm Diameter, 60x120x100mm 4x 90° grooves
651055	820641	V-Block Pair, Cast Iron Grade 1 for 12 - 180mm Diameter per pair 4x 90° grooves
651056	820635	V-Block 75 x 35 x 30 mm for shafts 5- mm parallelism and right-angle tolerance 0.004mm, 90° groove
651057	820631	V-Block Pair, Cast Iron, Quality 3, 8-50mm, 150 x 50 x 40 mm 90° grooves
651060	820634	V-Block Pair, Cast Iron, Quality 3, 12-100mm, 300 x 100 x 65 mm 90° grooves
651080	820578	Aluminium Level 500mm
651081	820579	Aluminium Level 600mm
651082	820581	Aluminium Level 1000mm
651104	820736	Surface Gauge, round base and beam 300 mm adjustable scriber
651111/12/13/14	820737	Surface Gauge, square base and beam 0 - 500 mm adjustable scriber
651116	820734	Surface Gauge, prismatic base 400mm, with fine adjustment adjustable scriber
651118	820735	Surface Gauge, prismatic base 500mm, with fine adjustment adjustable scriber
651304	00490	Handtachometer DEUMO 20000 RPM include adaptor shaft
651305	00491	Handtachometer DEUMO 50000 RPM include adaptor shaft
651310	00485	Hand tachometer, photo:99.999rpm, wheel:20.000rpm Digital / measuring wheel / test probe
651331	!1003-B	Stethoscope electronic range 100Hz-10Khz 2 probe tips (90 & 290mm)
651333	B-113131	Soundscope, binaural (polyscope) POLYSCOOP
651341/342/343	00353	Hydrometer, glass, ZEAL with certificate 1.000 - 1.040
651341/342/343	00352	Hydrometer, glass, 260mm 1.000 - 1.040, with certificate
651345	00353 D	Refractometer portable [SALT] 1.000 - 1.070 in case incl pipet 0-100 ppt (RF20)
651351	00306	Areometer API 1-11
651352	00307	Areometer API 9-21
651353	00308	Areometer API 19-31
651354	00309	Areometer API 29-41
651355	00310	Areometer API 39-51
651356	00311	Areometer API 49-61
651357	00312	Areometer API 59-71
651358	00361	Areometer API 69-81
651359	00362	Areometer API 79-91
651360	00363	Areometer API 89-101
651364	117764_S	Hydrometer set 0.700-1.000 light oil set of 3 pieces
651365	116622_S	Hydrometer set 0.700-1.200 light oil set of 5 pieces
651366	117765_S	Hydrometer set 0.750-0.900 light oil set of 3 pieces
651371	00446	Sampling bottle, brass Mouth collect. 500 cc.
651373	00447	Sampling bottle, stainless steel Mouth collect 500 cc.
651378	00448	Sampling bottle, stainless steel Bottom collecting type 1000cc.
651382	00452	Salinometer, metal 0-4/32
651384	00451	Hydrometer, metal 1,000-1,040
651384B	00451-B	Hydrometer, metal 1,000-1,040
651386	00445	Salinometerpot copper
651390	00436	PH paper 1-14
651393	00653	HANNA PH/TEMP meter HI98127 -2/+16 PH, -5/+60 C Waterproof, including certificate
651395	194747	EXTECH pH/ORP/Temperature datalogger SDL-100
651403	821632	Dial gauge, outside dia 58mm 0-10 mm / 90 mm graduation 0.01mm Adjustable Tolerance Marks
651404	812326	Dial Gauge Water and Oil Proof 10mm, 0,01mm graduation , with rubber Gaiter Shockproof
651411	812524	Dial gauges, graduation 0.1 mm. measuring 30mm,
651412	812519	Bore Gauge Set for wide and deep Hole 35 - 60mm, without Dial Gauge Fixed Plunger hardened, probe carbide
651413	812520	Bore Gauge Set for wide and deep Hole 50 -160mm, without Dial Gauge Fixed Plunger hardened, probe carbide
651414	821678	Bore Gauge Set (Small Hole), wooden case 50-160mm. Carbide Measuring Faces
651415	168054	Bore Gauge Set for wide and deep Hole 160 -250mm, without Dial Gauge Fixed Plunger hardened, probe carbide
651416	179756	Bore Gauge Set for wide and deep Hole 250 -450mm, without Dial Gauge Fixed Plunger hardened, probe carbide
651421	812620	Universal Dial Stand, Slidable base 60x35x250mm with fine Adjustment,
651427	00396	Magnetic base
651551	00494	Gauge-pointer puller.
651561	!9327_S	Performance Test Kit AAH-001 including test certificates 0-60 bar
651562	!9328_S	Performance Test Kit AAH-003 including test certificates 0-60 bar
651563	!9329_S	Performance Test Kit AAH-004 including test certificates 0-60 bar
651565/66/67/68	199571	WIKA deadweight tester CPB3800 1...120 bar, accuracy 0,025% of reading incl. calibration, adaptors & case
651570/71	351759	WIKA deadweight tester CPB3800 2.5 - 300 bar accuracy 0,025% of reading incl. calibration, adaptors & case
651572	199997	WIKA deadweight tester CPB3800 5...700 bar accuracy 0,025% of reading incl. calibration, adaptors & case
651574	181810	High pressure Calibrator Set.Type;H-P Range;0-2500 bar.c/w Dig; pressure gauge with Certificate & adapter set, in case.
651575	90519_S	Pressure calibrator PC350M 0-600 bar, accuracy 0,1%
651576	90520_S	Pressure calibrator PM110PIC 0-40 bar, accuracy 0,1%

IMPA Nummer	Artikel	Artikelomschrijving
651578	90560_S	TP 60 bar pressure test kit incl pressure gauges -1/0 & 0/+50 bar incl. 4 Adapters with hose (1.0 mtr.)
651579	90726	High pressure test pump P700 - Complete 0-700 bar, with case, hose, adaptors and sealkit, 700 bar gauge and cert.
651601	651601	SIKA heavy load cell FD200, range 20T, stainless steel,incl case incl. 10 mtr 4-wire cable, incl remote
651602	651602	SIKA heavy load cell FD200, range 20T, stainless steel,incl case incl. 10 mtr 4-wire cable, incl remote
651603	651603	SIKA heavy load cell FD200, range 30T, stainless steel,incl case incl. 10 mtr 4-wire cable, incl remote
651604	651604	SIKA heavy load cell FD200, range 50T, stainless steel,incl case incl. 10 mtr 4-wire cable, incl remote
651605	651605	SIKA heavy load cell FD200, range 100T, stainless steel,incl case incl. 10 mtr 4-wire cable, incl remote
651606	651606	SIKA heavy load cell FD200, range 100T, stainless steel,incl case incl. 10 mtr 4-wire cable, incl remote
651621	142576_S	MCK 60/650 Marine Calibration Kit -1/+60 bar and 0-650°C incl. adaptors, seals, accessoires and heavy duty case
651631	651631_S	SIKA P40 pressure calibrator 0-50 bar, incl. digital pressure gauge, case, adaptors, hose and calibration cert
651632	651632_S	SIKA P60 pressure calibrator -1/+60 bar, incl. digital pressure gauge, case, adaptors, hose and calibration cert.
651633	651633_S	SIKA P700 pressure calibrator, 0-600 bar incl digital pressure gauge, case, adaptors, hose and calibration cert.
651634	651634_S	SIKA P1000 pressure calibrator, 0-1000 bar, incl. digital pressure gauge, case, adaptors, hose and calibration cert.
651635	90529 B	Digitale manometer 0-50 bar 0,5 % FS TP60 testpomp, G1/4" BSP
651636	90524 B	Digital pressure gauge 0-600 bar 0.5 %FS HTP-1 testpump, G1/4" BSP
651637/651638	90569	Digital test pressure gauge -1/+60 bar, 0,1%, 1/4"BSP
651639	90523	Digital test pressure gauge . 0-400 bar 0,1% accuracy
651640	90524	Digital test pressure gauge 0-700 bar 0.1% accuracy
651641	!1985	Digital test pressure gauge 0-1000 bar 0,1% accuracy
651701	00134	Cabin thermometer -30/+50°C.
651704	00128	Bridge thermometer, plastic -50/+50°C
651706	00136	Min/Max thermometer, plastic -10/+50°C.
651710	00124	Seawater thermometer, copper cased -40/+60°C/F
651715	00974_S	Thermometer for refrigerator use -50/+50 C , brass cased
651716	28100	Thermometer for refrigerator use -50/+50°C. with magnet
651717	00109	Refrigerator thermometer -30/+30°C & F
651717	00964	Freezingroom thermometer -30/+50°C. in wooden case
651717	00964_S	Vriesthermometer -30/+50°C. in vierkante houten huls
651720	B-00182	Meat thermometer 63mm -50/+50°C/F L=230 x 6 mm. pointed 1
651721	00110	Oven thermometer, 0-300 C
651722	00184	Digital thermometer -50/+150°C. L=125 x 3 mm. rvs
651722	00184 B	Digital thermometer -40/+200C L=150 x 3 mm. Stainless steel Waterproof EXTECH 39240
651723	00148 C	Test thermometer in brass case 0/+ 500C L= 320 mm
651725	00962	Test thermometer -20/110 C Brass case
651727	00144	Spare glass thermometer -20/110°C. L=300 x 6 mm.
651729	00148	Spare glass thermometer -10/+ 500°C l = 300 mm
651732	00188	Pocket test thermometer -30/+50 C
651735	00181	Pocket bimetal dial thermometer -40/+70 C
651736	00189	Pocket thermometer 0-100°C. stainless steel
651742	00969	Tankthermometer in brass case w. sampler -30/+100°C/F
651742B	B-00969	Tankthermometer in brass case w. sampler -10/+100°C/F
651743	B-00966	Tankthermometer in stainless steel case -10/+100°C/F, with sampler
651753	16100	SIKA MH1150 type K (NiCrNi) hand held instrument for temperature for use with exchangeable sensors
651753	00667	Digital thermometer C&F TC-9211A -199,9 / + 1369,90degr.C. without sensor , type K with memory, min/max and alarm
651756	16104	Thermosensor GOF130Cu for surface temp. L=130 mm. NiCrNi (K)
651758	16101	SIKA temperature sensor GES900 type K (NiCrNi) spike type hand held with cable and connector
651761	16102	SIKA temperature sensor GTF900 type K (NiCrNi) general type hand held L=130x3 mm
651761	143644	SIKA temperature sensor GTF 120 type K (NiCrNi) general type hand held L=130x3 mm
651765	16105	Thermosensor GTL130 for air temp. L=130 mm NiCrNi (K)
651775	16106	Handvoeler GTF1200/300 L=300 x 3 mm. met Mini K-stekker NiCrNi (K) -200/+1150 C
651781	00213	Wet and dry thermometer with Stevenson screenbox
651784	28101	Magneethermometer, range 0-120°C.
651791/92	00658	RAYTEK MT4 non contact thermometer -18/+400°C.
651794	125316	Black tape for infrared measurement W50 mm x 10 m
651795	114730	Black paint for infrared measurement Box a 6 pieces UN1950 aerosols 2.1
651802/03/04	143448	EXTECH Compact Laser IR Thermometer -50 /800°C. 13:1 Incl Type K Pipe Clamp
651802B	146245	MT 18 Infrared thermometer -50/+550°C. S= 12:1
651803B	146246	MT 18 Infrared thermometer -50/+700°C. S= 12:1
651806	143449	EXTECH Compact Laser IR Thermometer -50/1000°C. with alarm 50:1 complete in carrying case
651806B	146247	MT 18 infrared thermometer -50/+1150°C. S= 20:1
651811	16216	MH175 digitale temperatuurmeter
651812	120423	SIKA MH3750, hand-held temperate meter, -200/+800 °C, acc.0.1°C, Pt100
651813	169074	SIKA MH3250 digital thermometer input 2 x type K/J/S/T/N + RS
651815	16218	SIKA GTF175 algemene voeler Pt-1000 L=100 x 3 mm.
651816	16220	SIKA GES175 algemene voeler Pt-1000
651817	177959	SIKA GOF175 sensor surface PT-1000
651818	16221	SIKA GLF175 air and gas sensor Pt-1000 L=100 x 3 mm.
651821	16002	SIKA GTF401 voeler algemeen gebruik PT-100 (4 wire)
651822	16001	SIKA GES401 voeler met punt PT-100
651823	16004	SIKA GOF401 sensor surface L= 300 mm PT-100
651824	16005	SIKA GLF401 air/gas sensor PT-100
651829	16103	Handvoeler GTF400 voeler snelle reactie L=130 x 1.5 mm. met Mini K-stekker NiCrNi (K)
651832	146267	GLF 130 Air/Gas sensor -65 / 500 c For MH 3250
651861	197799	SIKA Digital Thermometer SolarTemp type 850 (marine) IP65, range 0-650°C 1xPT1000,
651862	197800	SIKA Digital Thermometer SolarTemp type 850 (marine) IP65, range 0-650°C 1xPT1000, 4-20mA = 0-300 C
651863	137205	SIKA Digital Thermometer SolarTemp type 850 (marine) IP65, range 0-650°C 1x PT1000, 4-20mA = 0-600 C

IMPA Nummer	Artikel	Artikelomschrijving
651866	137207-1	SIKA SolarTemp Connection Cable 3m plug M12x1
651867	137207	SIKA SolarTemp Connection Cable 5m plug M12x1
651868	139480	SIKA SolarTemp Connection Cable 10m plug M12x1
651869	153081	SIKA SolarTemp Connection Cable 15m plug M12x1
651871	350104	SIKA connecting cable Solar/DiTemp 4x0.5mm FEP, L=10mtr
651872	350105	SIKA connecting cable Solar/DiTemp 4x0.5mm FEP, L=15mtr
651901	GCDBA	SIKA 271B -30/+50°C L=63 mm connection G1/2"
651902	GCGBA	SIKA 271B -30/+50°C L=100 mm connection G1/2"
651903	GCKBA	SIKA 271B -30/+50°C L=160 mm connection G1/2"
651904	GEDBA	SIKA 271B 0-100°C L=63 mm connection G1/2"
651904B	GEDBA-B_S	Thermometer straight casing 200x30mm 0-120°C L=63 mm connection G1/2"
651905	GEGBA	SIKA 271B 0-100°C L=100 mm connection G1/2"
651905B	GEGBA-B_S	Thermometer straight casing 200x30mm 0-120°C L=100 mm connection G1/2"
651906	GEKBA	SIKA 271B 0-100°C L=160 mm connection G1/2"
651906B	GEKBA-B_S	Thermometer straight casing 200x30mm 0-120°C L=160 mm connection G1/2"
651907	GIDBA	SIKA 271B 0-160°C L=63 mm connection G1/2"
651907B	GIDBA-B_S	Thermometer straight casing 200x30mm 0-160°C L=63 mm connection G1/2"
651908	GIGBA	SIKA 271B 0-160°C L=100 mm connection G1/2"
651908B	GIGBA-B	Thermometer straight casing 200x30mm 0-160°C L=100 mm connection G1/2"
651909	GIKBA	SIKA 271B 0-160°C L=160 mm connection G1/2"
651909B	GIKBA-B	Thermometer straight casing 200x30mm 0-200°C L=160 mm connection G1/2"
651910	GJDBA	SIKA 271B 0-200°C L=63 mm connection G1/2"
651910B	GJDBA-B	thermometer straight casing 200x30mm 0-200°C L=63 mm connection G1/2"
651911	GJGBA	SIKA 271B 0-200°C L=100 mm connection G1/2"
651911B	GJGBA-B	Thermometer straight casing 200x30mm 0-200°C L=100 mm connection G1/2"
651912	GJKBA	SIKA 271B 0-200°C L=160 mm connection G1/2"
651912B	GJKBA-B	Thermometer straight casing 200x30mm 0-200°C L=160 mm connection G1/2"
651913	GKDBB	SIKA 271B 0-300°C L=63 mm connection G1/2" steel
651914	GKGBB	SIKA 271B 0-300°C L=100 mm connection G1/2" steel
651915	GKKBB	SIKA 271B 0-300°C L=160 mm connection G1/2" steel
651916	GLDBB	SIKA 271B 0-400°C L=63 mm connection G1/2" steel
651917	GLGBB	SIKA 271B 0-400°C L=100 mm connection G1/2" steel
651919	GMDBB	SIKA 271B 0-500°C L=63 mm connection G1/2" steel
651920	GMGBB	SIKA 271B 0-500°C L=100 mm connection G1/2" steel
651921	GMKBB_S	SIKA 271B 0-500°C L=160 mm connection G1/2" steel
651922	GODBB	SIKA 271B 0-600°C L=63 mm connection G1/2" steel
651922B	GODBB-B	Thermometer straight casing 200x30mm 0-600°C L=63 mm connection G1/2"
651923	GOGBB	SIKA 271B 0-600°C L=100 mm connection G1/2" steel
651923B	GOGBB-B	Thermometer straight casing 200x30mm 0-600°C L=100 mm connection G1/2"
651924	GOKBB	SIKA 271B 0-600°C L=160 mm connection G1/2" steel
651924B	GOKBB-B	Thermometer straight casing 200x30mm 0-600°C L=160 mm connection G1/2"
651925	GBDBA	SIKA 271B -60/+40°C L=63 mm connection G1/2"
651925	GBDBA_S	SIKA 271B -60/+40°C L=63 mm connection G1/2"
651926	GBGBA_S	SIKA 271B -60/+40°C L=100 mm connection G1/2"
651927	GBKBA_S	SIKA 271B -60/+40°C L=160 mm connection G1/2"
651931	GFDDBA	SIKA 271B 0-120°C L=63 mm connection G1/2"
651931B	GFDDBA-B	Thermometer straight casing 200x30mm 0-120°C L=63 mm connection G1/2"
651932	GFGBA	SIKA 271B 0-120°C L=100 mm connection G1/2"
651932B	GFGBA-B	Thermometer straight casing 200x30mm 0-120°C L=100 mm connection G1/2"
651933	GFKBA	SIKA 271B 0-120°C L=160 mm connection G1/2"
651933B	GFKBA-B	Thermometer straight casing 200x30mm 0-120°C L=160 mm connection G1/2"
651941	DCDBA	SIKA 291B -30/+50°C L=63 mm connection G1/2"
651942	DCGBA	SIKA 291B -30/+50°C L=100 mm connection G1/2"
651943	DCKBA	SIKA 291B -30/+50°C L=160 mm connection G1/2"
651944	DEDBA	SIKA 291B 0-100°C L=63 mm connection G1/2"
651944B	DEDBA-B	Thermometer straight casing 150x30mm 0-100°C L=63 mm connection G1/2"
651945	DEGBA	SIKA 291B 0-100°C L=100 mm connection G1/2"
651945B	DEGBA-B	Thermometer straight casing 150x30mm 0-100°C L=100 mm connection G1/2"
651946	DEKBA	SIKA 291B 0-100°C L=160 mm connection G1/2"
651946B	DEKBA-B	Thermometer straight casing 150x30mm 0-100°C L=160 mm connection G1/2"
651947	DIDBA	SIKA 291B 0-160°C L=63 mm connection G1/2"
651947B	DIDBA-B_S	Thermometer straight casing 150x30 mm 0-200°C L=63 mm connection G1/2"
651948	DIGBA	SIKA 291B 0-160°C L=100 mm connection G1/2"
651948B	DIGBA-B_S	Thermometer straight casing 150x30mm 0-200°C L=100 mm connection G1/2"
651949	DIKBA	SIKA 291B 0-160°C L=160 mm connection G1/2"
651950	DJDBA	SIKA 291B 0-200°C L=63 mm connection G1/2"
651950B	DJDBA-B	Thermometer straight casing 150x30 mm 0-200°C L=63 mm connection G1/2"
651951	DJGBA	SIKA 291B 0-200°C L=100 mm connection G1/2"
651951B	DJGBA-B	Thermometer straight casing 150x30mm 0-200°C L=100 mm connection G1/2"
651952	DJKBA	SIKA 291B 0-200°C L=160 mm connection G1/2"
651953	DKDBB	SIKA 291B 0-300°C L=63 mm connection G1/2" steel
651954	DKGBB	SIKA 291B 0-300°C L=100 mm connection G1/2" steel
651955	DKKBB	SIKA 291B 0-300°C L=160 mm connection G1/2" steel
651962	DODBB	SIKA 291B 0-600°C L=63 mm connection G1/2" steel
651963	DOGBB	SIKA 291B 0-600°C L=100 mm connection G1/2" steel
651964	DOKBB_S	SIKA 291B 0-600°C L=160 mm connection G1/2" steel

IMPA Nummer	Artikel	Artikelomschrijving
651965	DBDBA	SIKA 291B -60/+40°C L=63 mm connection G1/2"
651966	DBGBA	SIKA 291B -60/+40°C L=100 mm connection G1/2"
651967	110620	SIKA 291B -60/+40°C L=160 mm connection G1/2"
651968	DDDBA	SIKA 291B 0-60°C L=63 mm connection G1/2"
651969	DDGBA	SIKA 291B 0-60°C L=100 mm connection G1/2"
651970	DDKBA	SIKA thermometer 291B, bereik 0-60°C. insteeklengte 160 mm. G1/2" brass
651971	DFDBA	SIKA 291B 0-120°C L=63 mm connection G1/2"
651972	DFGBA	SIKA 291B 0-120°C L=100 mm connection G1/2"
651973	DFKBA_S	SIKA 291B 0-120°C L=160 mm connection G1/2"
651981	AEABA	SIKA 174B 0-100°C L=30 mm connection G1/2"
651981B	AEABA-B	Thermometer straight casing 110x30mm 0-100°C L=30 mm connection G1/2"
651982	AEBBA	SIKA 174B 0-100°C L=40 mm connection G1/2"
651982B	AEBBA-B	Thermometer straight casing 110x30mm 0-100°C L=40 mm connection G1/2"
651983	AEDBA	SIKA 174B 0-100°C L=63 mm connection G1/2"
651983B	AEDBA-B	Thermometer straight casing 110x30mm 0-100°C L=63 mm G1/2"
651984	AEGBA	SIKA 174B 0-100°C L=100 mm connection G1/2"
651984B	AEGBA-B	Thermometer straight casing 110x30mm 0-100°C L=100 mm connection G1/2"
651985	AEKBA	SIKA 174B 0-100°C L=160 mm connection G1/2"
651985B	AEKBA-B	Thermometer straight casing 110x30mm 0-100°C L=160 mm connection G1/2"
651986	AJABA_S	SIKA 174B 0-200°C L=30 mm connection G1/2"
651987	AJBBA	SIKA 174B 0-200°C L=40 mm connection G1/2"
651988	AJDBA	SIKA 174B 0-200°C L=63 mm connection G1/2"
651989	AJGBA	SIKA 174B 0-200°C L=100 mm connection G1/2"
651990	AJKBA	SIKA 174B 0-200°C L=160 mm connection G1/2"
652001	HCDBA	SIKA 272B -30/+50°C L=63 mm connection G1/2"
652002	HCGBA	SIKA 272B -30/+50°C L=100 mm connection G1/2"
652003	HCKBA	SIKA 272B -30/+50°C L=160 mm connection G1/2"
652004	HEDBA	SIKA 272B 0-100°C L=63 mm connection G1/2"
652004B	HEDBA_B	Thermometer angle casing 200x30mm 0-120°C L=63 mm connection G1/2"
652005	HEGBA	SIKA 272B 0-100°C L=100 mm connection G1/2"
652005B	HEGBA-B	Thermometer angle casing 200x30mm 0-120°C L=100 mm connection G1/2"
652006	HEKBA	SIKA 272B 0-100°C L=160 mm connection G1/2"
652006B	HEKBA-B	Thermometer angle casing 200x30mm 0-120°C L=160 mm connection G1/2"
652007	HIDBA	SIKA 272B 0-160°C L=63 mm connection G1/2"
652007B	HIDBA-B_S	Thermometer angle casing 200x30mm 0-200°C L=63 mm connection G1/2"
652008	HIGBA	SIKA 272B 0-160°C L=100 mm connection G1/2"
652009	HIKBA	SIKA 272B 0-160°C L=160 mm connection G1/2"
652010	HJDBA	SIKA 272B 0-200°C L=63 mm connection G1/2"
652010B	HJDBA-B	Thermometer angle casing 200x30mm 0-200°C L=63 mm connection G1/2"
652011	HJGBA	SIKA 272B 0-200°C L=100 mm connection G1/2"
652011B	HJGBA-B	Thermometer angle casing 200x30mm 0-200°C L=100 mm connection G1/2"
652012	HJKBA	SIKA 272B 0-200°C L=160 mm connection G1/2"
652013	HKDBB_S	SIKA 272B 0-300°C L=63 mm connection G1/2" steel
652014	HKGBB	SIKA 272B 0-300°C L=100 mm connection G1/2" steel
652015	HKKBB	SIKA 272B 0-300°C L=160 mm connection G1/2" steel
652016	HLDBB_S	SIKA 272B 0-400°C L=63 mm connection G1/2" steel
652017	HLGBB	SIKA 272B 0-400°C L=100 mm connection G1/2" steel
652018	111438	SIKA 272B 0-400°C L=160 mm connection G1/2" steel
652019	HMDDBB_S	SIKA 272B 0-500°C L=63 mm connection G1/2" steel
652020	HMGBB	SIKA 272B 0-500°C L=100 mm connection G1/2" steel
652021	HMKBB	SIKA 272B 0-500°C L=160 mm connection G1/2" steel
652022	HODBB_S	SIKA 272B 0-600°C L=63 mm connection G1/2" steel
652022B	HODBB-B	Thermometer angle casing 200x30mm 0-600°C L=63 mm connection G1/2"
652023	HOGBB	SIKA 272B 0-600°C L=100 mm connection G1/2" steel
652023B	HOGBB-B	Thermometer angle casing 200x30mm 0-600°C L=100 mm connection G1/2"
652024	HOKBB	SIKA 272B 0-600°C L=160 mm connection G1/2" steel
652024B	HOKBB-B	Thermometer angle casing 200x30mm 0-600°C L=160 mm connection G1/2"
652026	!6402	SIKA thermometer 272B, range -60/+40°C. insteeklengte 100 mm. G1/2"
652027	HBKBC	SIKA 272B -60/+40°C L=160 mm connection G1/2" stainless steel
652028	!5256	SIKA thermometer 272B, range 0-60°C. insteeklengte 63 mm. G1/2"
652029	HDGBA	SIKA 272B 0-60°C L=100 mm connection G1/2"
652030	HDKBA	SIKA 272B 0-60°C L=160 mm connection G1/2"
652030	EN45AP160	SIKA thermometer 272B, range 0-60°C. insteeklengte 160 mm. G1/2"
652031	HFDBA	SIKA 272B 0-120°C L=63 mm connection G1/2"
652032	HFGBA	SIKA 272B 0-120°C L=100 mm connection G1/2"
652033	HFKBA	SIKA 272B 0-120°C L=160 mm connection G1/2"
652041	ECDBA	SIKA 292B -30/+50°C L=63 mm connection G1/2"
652041	ECDGA	SIKA 292B -30/+50°C L=63 mm connection M20 x 1.5
652042	ECGBA	SIKA 292B -30/+50°C L=100 mm connection G1/2"
652042	ECGAA	SIKA 292B -30/+50°C L=100 mm connection G3/8"
652043	ECKBA	SIKA 292B -30/+50°C L=160 mm connection G1/2"
652043	ECKBC	SIKA 292B -30/+50°C L=160 mm connection G1/2" stainless steel
652044	EEDBA	SIKA 292B 0-100°C L=63 mm connection G1/2"
652045	EEGBA	SIKA 292B 0-100°C L=100 mm connection G1/2"
652045B	EEGBA-B_S	Thermometer angle casing 150x30mm 0-120°C L=100 mm connection G1/2"
652046	EEKBA	SIKA 292B 0-100°C L=160 mm connection G1/2"

IMPA Nummer | Artikel | Artikelomschrijving

652047	EIDBA	SIKA 292B 0-160°C L=63 mm connection G1/2"
652048	EIGBA	SIKA 292B 0-160°C L=100 mm connection G1/2"
652049	EIKBA	SIKA 292B 0-160°C L=160 mm connection G1/2"
652050	EJDBA	SIKA 292B 0-200°C L=63 mm connection G1/2"
652051	EJGBA	SIKA 292B 0-200°C L=100 mm connection G1/2"
652051B	EJGBA-B	Thermometer angle casing 150x30mm 0-200°C L=100 mm connection G1/2"
652052	EJGBA	SIKA 292B 0-200°C L=160 mm connection G1/2"
652052B	EJGBA_B	Thermometer angle casing 150x30mm 0-200°C L=160 mm connection G1/2"
652053	EKDBB	SIKA 292B 0-300°C L=63 mm connection G1/2" steel
652054	EKGBB	SIKA 292B 0-300°C L=100 mm connection G1/2" steel
652055	EKKBA	SIKA 292B 0-300°C L=160 mm connection G1/2"
652062	142140	SIKA thermometer 292B, range 0-600°C insteeklengte 63 mm. G1/2"
652063	EOGBB	SIKA 292B 0-600°C L=100 mm connection G1/2"
652064	EOKBB	SIKA 292B 0-600°C L=160 mm connection G1/2"
652068	EDDBA	SIKA 292B 0-60°C L=63 mm connection G1/2"
652069	EDGBA_S	SIKA 292B 0-60°C L=100 mm connection G1/2"
652070	!3418	SIKA thermometer 292B, bereik 0-60°C. insteeklengte 160 mm. G1/2"
652071	EFDBA	SIKA 292B 0-120°C L=63 mm connection G1/2"
652072	EFGBA	SIKA 292B 0-120°C L=100 mm connection G1/2"
652072B	EFGBA-B	Thermometer angle casing 150x30mm 0-120°C L=100 mm connection G1/2"
652073	EFKBA_S	SIKA 292B 0-120°C L=160 mm connection G1/2"
652081	BEABA	SIKA 175B 0-100°C L=30 mm connection G1/2"
652081B	BEABA-B_S	Thermometer angle casing 110x30mm 0-120°C L=30 mm connection G1/2"
652082	BEBBA	SIKA 175B 0-100°C L=40 mm connection G1/2"
652083	BEDBA	SIKA 175B 0-100°C L=63 mm connection G1/2"
652083B	BEDBA-B_S	Thermometer angle casing 110x30mm 0-120°C L=63 mm connection G1/2"
652084	BEGBA	SIKA 175B 0-100°C L=100 mm connection G1/2"
652084B	BEGBA-B_S	Thermometer angle casing 110x30mm 0-120°C L=100 mm connection G1/2"
652085	BEKBA_S	SIKA 175B 0-100°C L=160 mm connection G1/2"
652086	BJABA_S	SIKA 175B 0-200°C L=30 mm connection G1/2"
652087	BJBBA	SIKA 175B 0-200°C L=40 mm connection G1/2"
652088	BJDBA	SIKA 175B 0-200°C L=63 mm connection G1/2"
652089	BJGBA_S	SIKA 175B 0-200°C L=100 mm connection G1/2"
652089B	BJGBA_B_S	Thermometer angle 0-200°C L=100 mm connection G1/2"
652090	BJKBA_S	SIKA 175B 0-200°C L=160 mm connection G1/2"
652101	ACABA	SIKA 174B -30/+50°C L=30 mm connection G1/2"
652102	ACBBA_S	SIKA 174B -30/+50°C L=40 mm connection G1/2"
652103	110317	SIKA 174B -30/+50°C L=63 mm connection G1/2"
652104	ACGBA_S	SIKA 174B -30/+50°C L=100 mm connection G1/2"
652105	ACKBA	SIKA 174B -30/+50°C L=160 mm connection G1/2"
652106	ADABA_S	SIKA 174B 0-60°C L=30 mm connection G1/2"
652107	ADBBA_S	SIKA 174B 0-60°C L=40 mm connection G1/2"
652108	ADDBA	SIKA 174B 0-60°C L=63 mm connection G1/2"
652109	ADGBA_S	SIKA 174B 0-60°C L=100 mm connection G1/2"
652110	!5861	SIKA thermometer 174B, range 0-60°C. insteeklengte 160 mm. G1/2"
652111	AFABA	SIKA 174B 0-120°C L=30 mm connection G1/2"
652111B	AFABA-B	Thermometer straight casing 110x30mm 0-120°C L=30 mm connection G1/2"
652112	AFBBA	SIKA 174B 0-120°C L=40 mm connection G1/2"
652112B	AFBBA-B	Thermometer straight casing 110x30mm 0-120°C L=40 mm connection G1/2"
652113	AFDBA	SIKA 174B 0-120°C L=63 mm connection G1/2"
652113B	AFDBA-B	Thermometer straight casing 110x30mm 0-120°C L=63 mm connection G1/2"
652114	AFGBA	SIKA 174B 0-120°C L=100 mm connection G1/2"
652114B	AFGBA-B	Thermometer straight casing 110x30mm 0-120°C L=100 mm connection G1/2"
652115	AFKBA_S	SIKA 174B 0-120°C L=160 mm connection G1/2"
652116	AIABA	SIKA 174B 0-160°C L=30 mm connection G1/2"
652117	AIBBA	SIKA 174B 0-160°C L=40 mm connection G1/2"
652118	AIDBA	SIKA 174B 0-160°C L=63 mm connection G1/2"
652119	AIGBA	SIKA 174B 0-160°C L=100 mm connection G1/2"
652120	AIKBA	SIKA 174B 0-160°C L=160 mm connection G1/2"
652132	BCBBA_S	SIKA 175B -30/+50°C L=40 mm connection G1/2"
652133	BCDBA_S	SIKA 175B -30/+50°C L=63 mm connection G1/2"
652134	BCGBA_S	SIKA 175B -30/+50°C L=100 mm connection G1/2"
652135	BCKBA	SIKA 175B -30/+50°C L=160 mm connection G1/2"
652137	BDBBA	SIKA 175B 0-60°C L=40 mm connection G1/2"
652138	!6478	SIKA thermometer 175B, range 0-60°C. insteeklengte 63 mm. G1/2"
652139	!0043	SIKA thermometer 175B, range 0-60°C. insteeklengte 100 mm. G1/2"
652140	BDKBA	SIKA 175B 0-60°C L=160 mm connection G1/2"
652141	BFABA_S	SIKA 175B 0-120°C L=30 mm connection G1/2"
652141B	BFABA-B	Thermometer angle casing 110x30mm 0-120°C L=30 mm connection G1/2"
652142	BFBBA	SIKA 175B 0-120°C L=40 mm connection G1/2"
652143	BFDBA	SIKA 175B 0-120°C L=63 mm connection G1/2"
652143B	BFDBA-B	Thermometer angle casing 110x30mm 0-120°C L=63 mm connection G1/2"
652144	BFGBA	SIKA 175B 0-120°C L=100 mm connection G1/2"
652144B	BFGBA-B	Thermometer angle casing 110x30mm 0-120°C L=100 mm connection G1/2"
652145	BFKBA	SIKA 175B 0-120°C L=160 mm connection G1/2"
652145B	BFKBA-B	Thermometer angle casing 110x30mm 0-120°C L=160 mm connection G1/2"

IMPA Nummer | Artikel | Artikelomschrijving

652146	BIABBA	SIKA 175B 0-160°C L=30 mm connection G1/2"
652147	BIBBA_S	SIKA 175B 0-160°C L=40 mm connection G1/2"
652148	BIDBA	SIKA 175B 0-160°C L=63 mm connection G1/2"
652149	BIGBA_S	SIKA 175B 0-160°C L=100 mm connection G1/2"
652150	BIKBA	SIKA 175B 0-160°C L=160 mm connection G1/2"
652201	GCDXX	SIKA 271B glass insert -30/+50°C L=63 mm
652202	GCGXX	SIKA 271B glass insert -30/+50°C L=100 mm
652203	GCKXX	SIKA 271B glass insert -30/+50°C L=160 mm
652204	GEDXX	SIKA 271B glass insert 0-100°C L=63 mm
652205	GEGXX	SIKA 271B glass insert 0-100°C L=100 mm
652206	GEKXX	SIKA 271B glass insert 0-100°C L=160 mm
652207	GIDXX	SIKA 271B glass insert 0-160°C L=63 mm
652208	GIGXX	SIKA 271B glass insert 0-160°C L=100 mm
652209	GIKXX	SIKA 271B glass insert 0-160°C L=160 mm
652210	GJDXX	SIKA 271B glass insert 0-200°C L=63 mm
652211	GJGXX	SIKA 271B glass insert 0-200°C L=100 mm
652212	GJKXX	SIKA 271B glass insert 0-200°C L=160 mm
652213	GKDXX	SIKA 271B glass insert 0-300°C L=63 mm
652214	GKGXX	SIKA 271B glass insert 0-300°C L=100 mm
652215	GKKXX	SIKA 271B glass insert
652216	GLDXX	SIKA 271B glass insert 0-400°C L=63 mm
652218	GLKXX	SIKA 271B glass insert 0-400°C L=160 mm
652219	GMDXX	SIKA 271B glass insert 0-500°C L=63 mm
652220	GMGXX	SIKA 271B glass insert 0-500°C L=100 mm
652221	GMKXX	SIKA 271B glass insert 0-500°C L=160 mm
652222	GODXX	SIKA 271B glass insert 0-600°C L=63 mm
652223	GOGXX	SIKA 271B glass insert 0-600°C L=100 mm
652224	GOKXX	SIKA 271B glass insert 0-600°C L=160 mm
652225	GBDXX	SIKA 271B glass insert -60/+40°C L=63 mm
652226	GBGXX	SIKA 271B glass insert -60/+40°C L=100 mm
652227	GBKXX	SIKA 271B glass insert -60/+40°C L=160 mm
652228	GDDXX	SIKA 271B glass insert 0-60°C L=63 mm
652229	GDGXX	SIKA 271B glass insert 0-60°C L=100 mm
652230	GDKXX	SIKA 271B glass insert 0-60°C L=160 mm
652231	GFDXX	SIKA 271B glass insert 0-120°C L=63 mm
652232	GFGXX	SIKA 271B glass insert 0-120°C L=100 mm
652233	GFKXX	SIKA 271B glass insert 0-120°C L=160 mm
652235	ACBXX	SIKA 174B glass insert -30/+50°C L=40 mm
652236	125698	SIKA 174B glass insert 30/+50°C L=63 mm
652237	ACGXX	SIKA 174B glass insert -30/+50°C L=100 mm
652238	ACKXX	SIKA 174B glass insert -30/+50°C L=160 mm
652241	DCDXX	SIKA 291B glass insert -30/+50°C L=63 mm
652242	DCGXX	SIKA 291B glass insert -30/+50°C L=100 mm
652243	DCKXX	SIKA 291B glass insert -30/+50°C L=160 mm
652244	DEDXX	SIKA 291B glass insert 0-100°C L=63 mm
652245	DEGXX	SIKA 291B glass insert 0-100°C L=100 mm
652246	DEKXX	SIKA 291B glass insert 0-100°C L=160 mm
652247	DIDXX	SIKA 291B glass insert 0-160°C L=63 mm
652248	DIGXX	SIKA 291B glass insert 0-160°C L=100 mm
652249	DIKXX	SIKA 291B glass insert 0-160°C L=160 mm
652250	DJDXX	SIKA 291B glass insert 0-200°C L=63 mm
652251	DJGXX	SIKA 291B glass insert 0-200°C L=100 mm
652252	DJKXX	SIKA 291B glass insert 0-200°C L=160 mm
652253	DKDXX	SIKA 291B glass insert 0-300°C L=63 mm
652254	DKGXX	SIKA 291B glass insert 0-300°C L=100 mm
652255	DKKXX	SIKA 291B glass insert 0-300°C L=160 mm
652262	DODXX	SIKA 291B glass insert 0-600°C L=63 mm
652263	DOGXX	SIKA 291B glass insert 0-600°C L=100 mm
652264	DOKXX	SIKA 291B glass insert 0-600°C L=160 mm
652268	DDDXX	SIKA 291B glass insert 0-60°C L=63 mm
652269	DDGXX	SIKA 291B glass insert 0-60°C L=100 mm
652270	DDKXX	SIKA 291B glass insert 0-60°C L=160 mm
652271	DFDXX	SIKA 291B glass insert 0-120°C L=63 mm
652272	DFGXX	SIKA 291B glass insert 0-120°C L=100 mm
652273	DFKXX	SIKA 291B glass insert 0-120°C L=160 mm
652281	AEAXX	SIKA 174B glass insert 0-100°C L=30 mm
652282	AEBXX	SIKA 174B glass insert 0-100°C L=40 mm
652283	AEDXX	SIKA 174B glass insert 0-100°C L=63 mm
652284	AEGXX	SIKA 174B glass insert 0-100°C L=100 mm
652285	AEKXX	SIKA 174B glass insert 0-100°C L=160 mm
652286	AJAXX	SIKA 174B glass insert 0-200°C L=30 mm
652287	AJBXX	SIKA 174B glass insert 0-200°C L=40 mm
652288	AJDXX	SIKA 174B glass insert 0-200°C L=63 mm
652289	AJGXX	SIKA 174B glass insert 0-200°C L=100 mm
652290	AJKXX	SIKA 174B glass insert 0-200°C L=160 mm
652291	ADAXX	SIKA 174B glass insert 0-60°C L=30 mm

IMPA Nummer | Artikel | Artikelomschrijving

652292	ADBXX	SIKA 174B glass insert 0-60°C L=40 mm
652293	ADDXX	SIKA 174B glass insert 0-60°C L=63 mm
652294	ADGXX	SIKA 174B glass insert 0-60°C L=100 mm
652295	ADKXX	SIKA 174B glass insert 0-60°C L=160 mm
652301	HCDXX	SIKA 272B glass insert -30/+50°C L=63 mm
652302	HCGXX	SIKA 272B glass insert -30/+50°C L=100 mm
652303	HCKXX	SIKA 272B glass insert -30/+50°C L=160 mm
652304	HEDXX	SIKA 272B glass insert 0-100°C L=63 mm
652305	HEGXX	SIKA 272B glass insert 0-100°C L=100 mm
652306	HEKXX	SIKA 272B glass insert 0-100°C L=160 mm
652307	HIDXX	SIKA 272B glass insert 0-160°C L=63 mm
652308	HIGXX	SIKA 272B glass insert 0-160°C L=100 mm
652309	HIKXX	SIKA 272B glass insert 0-160°C L=160 mm
652310	HJDXX	SIKA 272B glass insert 0-200°C L=63 mm
652311	HJGXX	SIKA 272B glass insert 0-200°C L=100 mm
652312	HJKXX	SIKA 272B glass insert 0-200°C L=160 mm
652313	HKDXX	SIKA 272B glass insert 0-300°C L=63 mm
652314	HKGXX	SIKA 272B glass insert 0-300°C L=100 mm
652315	HKKXX	SIKA 272B glass insert 0-300°C L=160 mm
652316	HLDXX	SIKA 272B glass insert 0-400°C L=63 mm
652317	HLGXX	SIKA 272B glass insert 0-400°C L=100 mm
652318	HLKXX	SIKA 272B glass insert 0-400°C L=160 mm
652319	HMDXX	SIKA 272B glass insert 0-500°C L=63 mm
652320	HMGXX	SIKA 272B glass insert 0-500°C L=100 mm
652321	HMKXX	SIKA 272B glass insert 0-500°C L=160 mm
652322	HODXX	SIKA 272B glass insert 0-600°C L=63 mm
652323	HOGXX	SIKA 272B glass insert 0-600°C L=100 mm
652324	HOKXX	SIKA 272B glass insert 0-600°C L=160 mm
652326	I6403	SIKA binnenwerk 272B, range -60/+40°C. insteeklengte 100 mm.
652328	HDDXX	SIKA 272B glass insert 0-60°C L=63 mm
652329	I7135	SIKA binnenwerk 272B, bereik 0-60°C. insteeklengte 100 mm.
652331	HFDXX	SIKA 272B glass insert 0-120°C L=63 mm
652332	HFGXX	SIKA 272B glass insert 0-120°C L=100 mm
652333	HFKXX	SIKA 272B glass insert 0-120°C L=160 mm
652341	ECDXX	SIKA 292B glass insert -30/+50°C L=63 mm
652342	ECGXX	SIKA 292B glass insert -30/+50°C L=100 mm
652343	ECKXX	SIKA 292B glass insert -30/+50°C L=160 mm
652344	EEDXX	SIKA 292B glass insert 0-100°C L=63 mm
652345	EEGXX	SIKA 292B glass insert 0-100°C L=100 mm
652346	EEKXX	SIKA 292B glass insert 0-100°C L=160 mm
652347	EIDXX	SIKA 292B glass insert 0-160°C L=63 mm
652348	EIGXX	SIKA 292B glass insert 0-160°C L=100 mm
652349	EIKXX	SIKA 292B glass insert 0-160°C L=160 mm
652350	EJDXX	SIKA 292B glass insert 0-200°C L=63 mm
652351	EJGXX	SIKA 292B glass insert 0-200°C L=100 mm
652352	EJKXX	SIKA 292B glass insert 0-200°C L=160 mm
652353	EKDXX	SIKA 292B 0-300°C L=63 mm
652354	111405	SIKA binnenwerk 292B, bereik 0-300°C. insteeklengte 100 mm.
652355	EKKXX	SIKA 292B glass insert 0-300°C L=160 mm
652362	EODXX	SIKA 292B glass insert 0-600°C L=63 mm
652363	EOGXX	SIKA 292B glass insert 0-600°C L=100 mm
652368	EDDXX	SIKA 292B 0-60°C L=63 mm
652369	EDGXX	SIKA 292B glass insert 0-60°C L=100 mm
652371	EFDXX	SIKA 292B glass insert 0-120°C L=63 mm
652372	EFGXX	SIKA 292B glass insert 0-120°C L=100 mm
652373	EFKXX	SIKA 292B glass insert 0-120°C L=160 mm
652381	BEAXX	SIKA 175B glass insert 0-100°C L=30 mm
652382	BEBXX	SIKA 175B glass insert 0-100°C L=40 mm
652383	BEDXX	SIKA 175B glass insert 0-100°C L=63 mm
652384	BEGXX	SIKA 175B glass insert 0-100°C L=100 mm
652385	BEKXX	SIKA 175B glass insert 0-100°C L=160 mm
652386	BJAXX	SIKA 175B glass insert 0-200°C L=30 mm
652387	BJBXX	SIKA 175B glass insert 0-200°C L=40 mm
652388	BJDXX	SIKA 175B glass insert 0-200°C L=63 mm
652389	BJGXX	SIKA 175B glass insert 0-200°C L=100 mm
652390	BJKXX	SIKA 175B glass insert 0-200°C L=160 mm
652401	AFAXX	SIKA 174B glass insert 0-120°C L=30 mm
652402	AFBXX	SIKA 174B glass insert 0-120°C L=40 mm
652403	AFDXX	SIKA 174B glass insert 0-120°C L=63 mm
652404	AFGXX	SIKA 174B glass insert 0-120°C L=100 mm
652405	AFKXX	SIKA 174B glass insert 0-120°C L=160 mm
652405B	AFKXX-B	Glass insert for casing 110x30 0-120°C L=160 mm
652406	AIAXX	SIKA 174B glass insert 0-160°C L=30 mm
652407	AIBXX	SIKA 174B glass insert 0-160°C L=40 mm
652408	AIDXX	SIKA 174B glass insert 0-160°C L=63 mm
652409	AIGXX	SIKA 174B glass insert 0-160°C L=100 mm

IMPA Nummer	Artikel	Artikelomschrijving
652410	AIKXX	SIKA 174B glass insert 0-160°C L=160 mm
652417	BDBXX	SIKA 175B glass insert 0-60°C L=40 mm
652417	BDAXX	SIKA 175B glass insert 0-60°C L=30 mm.
652418	BDDXX	SIKA 175B glass insert 0-60°C L=63 mm
652420	BDKXX	SIKA 175B glass insert 0-60°C L=160 mm
652421	BFAXX	SIKA 175B glass insert 0-120°C L=30 mm
652422	BFBXX	SIKA 175B glass insert 0-120°C L=40 mm
652423	BFDXX	SIKA 175B glass insert 0-120°C L=63 mm
652424	BFGXX	SIKA 175B glass insert 0-120°C L=100 mm
652425	BFKXX	SIKA 175B glass insert 0-120°C L=160 mm
652426	BIAXX	SIKA 175B glass insert 0-160°C L=30 mm
652427	BIBXX	SIKA 175B glass insert 0-160°C L=40 mm
652428	BIDXX	SIKA 175B glass insert 0-160°C L=63 mm
652429	BIGXX	SIKA 175B glass insert 0-160°C L=100 mm
652430	BIKXX	SIKA 175B glass insert 0-160°C L=160 mm
652504	15920	SIKA TP18200E temperature calibrator Ambient temp. - 200°C. 230V 50/60Hz.
652504	138139	SIKA PC700+ pressure calibrator 0-700 bar acc +/- 0,025% RS323 software high pressure hose, sealing set and case
652504	152016	SIKA Calibration software PreCal for PC700+
652504	15920_S	SIKA TP18200E temperature calibrator Ambient temp-200°C incl hulzen en koffer 230V 50/60Hz.
652506	110556_S	SIKA TP18850E temperature calibrator 850°C. bore 18 mm. 230V 50/60Hz.
652507	17165-1	SIKA TP17165M temperature calibrator -30/+165 C, 100...240V 50/60Hz blokbore 28 x 150 mm
652508	15963_S	SIKA TP17650M temperature calibrator Ambient temp. 650 degr C, 115V, pocket 3,5/6,5/13,5 mm, blokbore
652509	15960	SIKA temperature calibrator TP17650M Ambient temp up to 650 C, 230V, GL app. pocket 3,5/6,5/13,5 mm
652509B	15960B_S	Temperature calibrator 230V 50/60Hz ambient up to 650 C,
652513	192625	SCANSENCE Temperature calibrator 0-650C, 230V, TC65M incl. pocket 6.5mm
652520	143273	SIKA Cargo Temp Roller, cable L=35 meter -40/+150 C, acc +/- 0,5% incl. portable ABS case with foam inlay
652545	!7304	SIKA RTD pocket calibrator/simulator Pt50/Pt100/Pt200/Pt500/Pt1000 Ni100/Ni120/Ni1000/Cu10/Cu50
652554	00900	Air temperatuur sensor Pt-100 4-leider Simplex 1/6 DIN
652555	00925	USDA sensor type Pt-100 4-leider met 15 mtr. afgeschermd kabel
652555B	00925-B	USDA sensor type Pt-100 4-leider met 15 mtr. afgeschermd kabel
652621/51	00500	Planimeter, HAFF type 317E
652631	62141	Peak pressure indicator type PEAKMAG-140 0-140 bar, complete in case
652631/33B	62221-B	Engine peak indicator 0-200 bar
652632	62181	Peak pressure indicator type PEAKMAG-180 0-180 bar, complete in case
652632/34B	62222-B	Engine peak indicator 0-250 bar
652633	62140	Peak pressure indicator type LS-140 0-140 bar, complete in case
652634	62180	Peak pressure indicator type LS-180 0-180 bar, complete in case
652635	62465	Electronic peak pressure indicator EPM peak complete incl rechargeable battery pressure transducer with cable and adapt
652636	62466_S	Electronic peak pressure indicator EPM- XP peak incl rechargeable batteries with cable and adapt ,incl.software
652638	62250	Peak pressure indicator type LS-250 0-250 bar, complete in case
652654	64002	Indicatorpaper red 180 x 65 mm. T50/Tr 50 (50 vel) 10 stuks per pakje
652656	64003	Indicatorpaper red 145 x 65 mm. T50 (50 sheets) 10 stuks per pakje
652657	64007	Indicatorpaper red 113 x 55 mm. M3 (50 vel) 10 stuks per pakje
652659	64005	Indicatorpaper red 115 x 35 mm. T25/TS (50 vel) 10 stuks per pakje
652660	64015	Indicator Cord rol 10 mtr.
652670	812536	Crankshaft Tester, with Dial, range 60-500mm In wooden case with extension rods
652701	131169	Inspectionmirror, with extension shaft Mirror diameter 35mm 120-495MM
652702	145256	Inspectionmirror, with plastic handle 2"x 31/2 telescopisch 210-495mm
652703	121138	Inspectiespiegel telescopisch spiegel dia 32mm
652704	!3638	Inspection mirror with flexible shaft dia 5,8 mm, length ca. 1mtr
652707	131170	Inspection flashlight with mirror Portable 380 mm length
652711	00477	Probelight in case type VIP-3 L= 75 mm
652722	!8274	Defelsko Positest F laagdiktemeter, 0-2000 micron
652723	124610	A211F-2M coating thickness gauge 0,25 - 1,8 mm.
652724	124611	A211F-8M coating thickness gauge 0,65 - 6 mm.
652725	124612	A456FBS coating thickness gauge 456F basis+T456F3S F3 sensor, 0 - 13 mm
652727	B-197810	Coating Thickness Gauge Digital Non-Ferro, external sensor, 0-1250um
652735	00648	Ultrasonic thickness indicator Type SA-40, range 0,8 - 225mm (steel) LCD 4-digit display, auto Power Off
652735B	149054	Ultrasonic Thickness Meter Range 1.5 - 200 mm / 0.06 - 8 inch
652750	14325	EXTECH CT 20 Continuity Tester Pro Cablebreaker finder
652755	152403	FLIR E4 non contact Infrarood camera bereik -20/+250°C. [80x60]
652775	124249	Liquid level instrument, ultrasonic incl. hand held transducer,extension rod for marine use, batteries, case and cert
652786	146961	Cargo sampler 1/4 ltr for MTD 1-1/2" EUR Valve
652787	146960	Cargo sampler 1/3 ltr for MTD 2" EUR Valve
652788	146959	Cargo sampler 1 ltr for MTD 4" EUR Valve
652789	146958	Bottom water sampler for MTD 4" EUR Valve
652801	932296	Analogue Rotation Viscosity Meter RVI 1, range 10-100.000 mPa.s. complete in wooden case
652805	132703	Viscosity meter Viscolite VLT-100B d15 0-5,000 cP. -20/120 C, IP65 incl batterijen
652806	122966	Viscosity meter Viscolite VLT-100B-d21 0-10,000 cP. -20/120 C, IP65 incl batterijen
652821	113490	TI-LUB TBN box of 20 Testkit
652901	B-124344	Sound level meter, with windscreen 30-130 decibel, 31,5Hz tot 8kHz,
653101	33005	WIKA 213.53.063 -1/+1,5 bar/psi bottom connection1/4"BSP brass inner parts glycerine filled
653101B	B33005	Pressure gauge 63 mm, rimless, -1/+1,5 bar/Psi bottom connection 1/4"B brass inner parts, glycerine filled.
653102	34005-2	WIKA 113.53.080 -1/+1,5 bar, bottom connection 1/2"BSP brass inner parts, glycerine filled
653102B	B34005	Pressure gauge 80 mm, rimless, -1/+1,5 bar/Psi bottom connection1/4"BSP brass inner parts, glycerine filled
653103	36205	WIKA 113.53.100 -1/+1,5 bar, bottom connection 1/2"BSP brass inner parts, glycerine filled

IMPA Nummer	Artikel	Artikelomschrijving
653442	133783	REXOTHERM pyrometer RX-3100 50-650°C L=400x13 mm bottom connection connection 3/4" BSP
653442B	B-653442	Exhaust gas thermometer 100mm, 0-600°C L=400x12 mm bottom connection 3/4" BSP stainless steel, vertical type
653443	144352	REXOTHERM pyrometer RX-3100 50-650°C L=500x13 mm bottom connection connection 1/2" BSP
653444	133784	REXOTHERM pyrometer RX-3100 50-650°C L=500x13 mm bottom connection connection 3/4" BSP
653445	133785	REXOTHERM pyrometer RX-3101 50-650°C L=100x13 mm back connection connection 1/2" BSP
653445B	B-653445	Exhaust gas thermometer 100mm, 0-600°C L=100x12 mm bottom connection 1/2" BSP stainless steel, horizontal type
653446	133786	REXOTHERM pyrometer RX-3101 50-650°C L=100x13 mm back connection connection 3/4" BSP
653446B	B-653446	Exhaust gas thermometer 100mm, 0-600°C L=100x12 mm bottom connection 3/4" BSP stainless steel, horizontal type
653447	133787	REXOTHERM pyrometer RX-3101 50-650°C L=150x13 mm back connection connection 1/2" BSP
653447B	B-653447	Exhaust gas thermometer 100mm, 0-600°C L=150x12 mm bottom connection 1/2" BSP stainless steel, horizontal type
653448	133788	REXOTHERM pyrometer RX-3101 50-650°C L=150x13 mm back connection connection 3/4" BSP
653448B	B-653448	Exhaust gas thermometer 100mm, 0-600°C L=150x12 mm bottom connection 3/4" BSP stainless steel, horizontal type
653449	133789	REXOTHERM pyrometer RX-3101 50-650°C L=200x13 mm back connection connection 1/2" BSP
653449B	B-653449	Exhaust gas thermometer 100mm, 0-600°C L=200x12 mm bottom connection 1/2" BSP stainless steel, horizontal type
653450	133790	REXOTHERM pyrometer RX-3101 50-650°C L=200x13 mm back connection connection 3/4" BSP
653450B	B-653450	Exhaust gas thermometer 100mm, 0-600°C L=200x12 mm bottom connection 3/4" BSP stainless steel, horizontal type
653453	133791	REXOTHERM pyrometer RX-3101 50-650°C L=300x13 mm back connection connection 1/2" BSP
653454	133792	REXOTHERM pyrometer RX-3101 50-650°C L=300x13 mm back connection connection 3/4" BSP
653553	00118	Remote thermometer 100mm, backflange 50-650°C L=150 x 13 mm. C=3 mtr. glycerine filled.
751651	52359	Pressure gauge cock G 3/8" male x G 3/8" female
751653	52315	Pressure gauge cock G 1/2" in x G 1/2" out with adjusting nut
752535/36/37/38	12336	SIKA Flowswitch, VH500 NI 1" BSP, 2 bar, PN 18
752541/42/43/44	15650	SIKA VH500NM flow detector messng, M33 x 2
756562	168925	GOETZE pressure reducing valve 681 1-8 bar inlet/outlet DN20-G3/4" male elastomere diaphragm for gas media 25 b
756563	168955	GOETZE pressure reducing valve 681 1-8 bar inlet/outlet DN20-G1" male elastomere diaphragm for gas media 25 b
756566	169002	GOETZE pressure reducing valve 681 up to 25 bar/1-7 bar G2"
756566	168999	GOETZE pressure reducing valve 681 up to 25 bar/1-7 bar G1/2"
756569	155048	GOETZE pressure reducing valve 682 up to 16 bar/1-8 bar cast flanges DN25 PN16 gunmetal
756569	166254	GOETZE pressure reducing valve 682 up to 25 bar/1-8 bar cast flanges DN25 PN40 gunmetal
756574	153225	Pressure reducing valve 683 straightway type DN25 1" BSP female
756574	165443	Pressure reducing valve 683mGO SP 10 F/F 10/10 NBR
756575	930762	Pressure reducing valve 683 straightway type 1 1/4" BSP female primary: 30 bar, secondary: 1.5-10 bar
792422	110356	Battery 1.5 Volts Duracell LR14 C
792426	17563	Battery 9 Volts Duracell 6LR61 9V
792662	00355	Battery Hydrometer
793151	117196	HERION drukschakelaar 0820150 bereik 0.2-12 bar
793152	00999	HERION drukschakelaar 0820750 bereik 0.5-30 bar
793153	112758	HERION drukschakelaar 0820160 bereik 0.2-12 bar
793154	120706	HERION drukschakelaar 0820760 bereik 0.5-30 bar
793156	118524	HERION drukschakelaar 0821051 bereik 5-70 bar
793157	114583	HERION drukschakelaar 0821060 bereik 10-160 bar
793157	121579	HERION drukschakelaar 0821050 range 10-160 bar G1/4
793158	121580	HERION drukschakelaar 0821061
795730	143248	EXTECH EX820 True RMS AC/DC Clamp Meter + IR Thermometer 600V
795731	143251	EXTECH EX830 True RMS AC/DC Clamp Meter + IR Thermometer 600V CAT III
795735	143490	EXTECH EX840 True RMS AC/DC Clamp Meter + IR Thermometer 1000 V ac/dc 1000A
795755	142666	EXTECH EX520 True RMS Multimeter IP67 waterproof
795781	147106	EXTECH insulation tester/multimeter MG302 with wireless PC Interface
795781	147109	EXTECH insulation tester/multimeter MG325 with remote test probe
813101	193814	Filtercloth roll 20x2 meter, IF15-100-9 40m2
813102	00463	IF 290-20x2 filter (2 m) per m2 19 mm dik, Blauw- Wit
813102	00463-40M	IF 290-20x2 filter (2 m) 40m2 19 mm dik, Blauw- Wit
813102B	137475	Filtercloth roll 20x2 mtr ,IF15-150-15mm 40m2
813102B	137476	Filtercloth roll 20x1 meter, IF15-140-14 20m2
813112	00469	Towel cloth 90 cm
813130	00466	Copper wool filter roll a 10kg
850345	127103	REFCO M2-3 De-luxe manifold set compleet R22 / R407C / R410A
850346	144014	REFCO M2-3 De-luxe manifold set compleet R407C / R134A / R404A
851511	82910	SEMA gases 0.9% Iso-Butane in air 10 ltr. (50% LEL) UN1950
851512/851708	114147	SEMA gases 0.9% Iso-butane in air 34 ltr. (50% LEL) UN1956
851513	155608	SEMA gases 0.9% Iso-Butane in air 58 ltr. (50% LEL)
851514/851702	113780	SEMA gases 0.9% Butane in air 110 ltr. UN1956
851515	82901	SEMA gases 8% Butane in N2 10 ltr. UN1950
851516	120875	SEMA gases 8% Butane in N2 34 ltr. (17 ltr @ 250 psig) UN1956
851517	155694	SEMA gases 8% Butane in N2 58 ltr.
851518	112194	SEMA gases 8% Butane in N2 110 ltr. UN1954
851523	82907	SEMA gases 50 ppm CO in air 10 ltr. UN1950
851524	115038	SEMA gases 50 ppm CO in air 34 ltr.
851525	155416	SEMA gases 50 ppm CO in air 58 ltr.
851526	134682	SEMA gases 50 ppm CO in air 110 ltr. UN1956
851527	129728	SEMA gases 100 ppm CO in air 10 Ltr.
851528	153027	SEMA gases 100 ppm CO in air 34 ltr.
851529	155353	SEMA gases 100 ppm CO in air 58 ltr.
851530	152010	SEMA gases 100 ppm CO in air 110 ltr. UN1956
851531	182270	SEMA gases 250 ppm CO in air 10 ltr.
851532	149157	SEMA gases 250 ppm CO in air 34 ltr.

IMPA Nummer	Artikel	Artikelomschrijving
851533	149160	SEMA gases 250 ppm CO in air 58 ltr
851534	149161	SEMA gases 250 ppm CO in air 110 ltr. UN1956
851535	114271	SEMA gases 5% CO2 in N2 10 ltr.
851536	115278	SEMA gases 5% CO2 in N2 34 ltr.
851537	122763	SEMA gases 5% CO2 in N2 58 ltr.
851538	144199	SEMA gases 5% CO2 in N2 110 ltr. UN1956
851539	82905	SEMA gases 25 ppm H2S in N2 10 ltr. UN1950
851540	115140	SEMA gases 25 ppm H2S in N2 34 ltr. UN1956
851541	144288	SEMA gases 25 ppm H2S in N2 58 ltr
851542	113782	SEMA gases 25 ppm H2S in N2 110 ltr. UN1956
851543	177652	SEMA gases 50 ppm H2S in N2 10 ltr. UN1950
851544	116764	SEMA gases 50 ppm H2S in N2 34 ltr. UN1956
851545	116763	SEMA gases 50 ppm H2S in N2 58 ltr. UN1956
851546	138697	SEMA gases 50 ppm H2S in N2 110 ltr. UN1956
851547	82902	SEMA gases 2.5% Methane in air (50% LEL) 10 ltr UN1950
851548/851730	114289	SEMA gases 2.5% Methane in air (50% LEL) 34 ltr. UN1956
851549	00553	SEMA gases 2.5% Methane in air (50% LEL) 58 ltr.
851550	19421	SEMA gases 2.5% Methane in air (50% LEL) 110 ltr. UN1956
851553	122704	SEMA gases 100% Methane 58 ltr. restricted pressure
851554	122705	SEMA gases 100% Methane 110 ltr restricted pressure UN1971
851555	82903	SEMA gases Pure Nitrogen 12 ltr. (145 psi, 0.95 ltr.) UN1950
851556/851723	113506	SEMA gases Pure Nitrogen Grade 5.0 34 ltr. UN1066
851557	149072	SEMA gases Pure Nitrogen 58 ltr.
851558	17609	SEMA gases Pure Nitrogen 110 ltr UN1066
851559	82916	SEMA gases 2% Oxygen in N2 12 ltr. UN1950
851560	122331	SEMA gases 2% Oxygen in N2 34 ltr.
851561	155640	SEMA gases 2% Oxygen in N2 58 ltr.
851562	149575	SEMA gases 2% Oxygen in N2 110 ltr. UN1956
851563	82917	SEMA gases 5% Oxygen in N2 12 ltr. UN1950
851564	139705	SEMA gases 5.5% Oxygen in N2 34 ltr.
851565	144123	SEMA gases 5.5% Oxygen in N2 58 ltr.
851566	139641	SEMA gases 5.5% Oxygen in N2 110 ltr. UN1956
851567	82915	SEMA gases 0.7% Pentane in air (50% LEL) 10 ltr. UN1950
851568	128562	SEMA gases 0.7% Pentane in air (50% LEL) 34 ltr.
851569	140098	SEMA gases 0.7 Pentane in air (50% LEL) 58 ltr
851570	144261	SEMA gases 0.7% Pentane in air (50% LEL) 110 ltr. UN1956
851571	82904	SEMA gases 1.1% Propane in air (50% LEL) 10 ltr. UN1950
851572	13475	SEMA gases 1.1% Propane in air (50% LEL) 34 ltr. UN1956
851573	15830	SEMA gases 1.1% Propane in air (50% LEL) 58 ltr.
851574	140091	SEMA gases 1.1% Propane in air (50% LEL) 110 ltr. UN1956
851576	177168	SEMA gases 100% Propane in N2 34 ltr. UN1954
851577	139130	SEMA gases 100% Propane in N2 58 ltr.
851578	177162	SEMA gases 100% Propane in N2 110 ltr. UN1954
851581	153028	SEMA gases mixture 50 ppm CO, 25 ppm H2S, 2.5% CH4, 12% O2/N2-34 ltr UN1956
851582/851753	82921	SEMA gases mixture 50 ppm CO, 25 ppm H2S, 2.5% CH4, 12% O2/N2-58 ltr. UN1956 Riken-mixture
851583	153030	SEMA gases mixture 50 ppm CO, 25 ppm H2S, 2.5% CH4, 12% O2/N2-110 ltr UN1956
851584	130354	SEMA gases mixture 100 ppm CO, 25 ppm H2S, 2.5% CH4, 20.9% O2/N2-34 ltr UN1956
851585	118424	SEMA gases mixture 100 ppm CO, 25 ppm H2S, 2.5% CH4, 20.9% O2/N2-58 ltr UN1956 BW-mixture
851586	199837	SEMA gases mixture 100 ppm CO, 25 ppm H2S, 2.5% CH4, 20.9% O2/N2-110 ltr UN1956
851587/851756	82920	SEMA gases mixture 100 ppm CO, 40 ppm H2S, 2.5% CH4,15% O2/N2-34 ltr UN1956 Enforcer Cylinder
851588	137889	SEMA gases mixture 100 ppm CO, 40 ppm H2S, 2.5% CH4, 15% O2/N2-58 ltr UN1956
851589	137884	SEMA gases mixture 100 ppm CO, 40 ppm H2S, 2.5% CH4, 15% O2/N2-110 ltr UN1956
851590	120269	SEMA gases mixture 100 ppm CO, 25 ppm H2S, 2.5% CH4, 18% O2/N2-34 ltr UN 1956
851591	142983	SEMA gases mixture 100 ppm CO, 25 ppm H2S, 2.5% CH4, 18% O2/N2-58 ltr UN1956
851592	119945	SEMA gases mixture 100 ppm CO, 25 ppm H2S, 2.5% CH4, 18% O2/N2-110 ltr UN1956
851593	83104	MSA regulator w.hose 0.25 l/min 467895 + 0005280 34/58/103/110 liter cyl.
851594/851743	117923	SEMA gases regulator 0.5 l/min. for cylinder 34/58/103/110 ltr. Nickel plated and brass
851595	115136	SEMA gases regulator 1.0 l/min. for cylinder 34/58/103/110 ltr. Nickel plated and brass
851596	82931	On demand flow regulator for pumped units, 0.0 till 5.0 ltr/min for 34/58/110 ltr cylinders
851597	82906	Miniflo brass control valve & flow indicator, 0.5-1.5 l/min, 25 bar for 10/12/20 ltr cylinder
851599	81900-2	RIKEN Gas sampling bag 2 liter 250 x 200 mm.
851701	185124	SEMA gases 25 ppm NH3 in air 58 ltr.
851703	113796	SEMA gases 0.9% butane in N2 110 ltr. UN1956
851704	122378	SEMA gases 8% Butane in N2 34 ltr UN1956
851706	139573	SEMA gases 8% Butane / 13.8% CO2 in N2 17 ltr. UN1954
851710	153026	SEMA gases 10% Iso-Butane in N2 34 ltr. (17 ltr. @ 250 psi) UN1956
851712	111270	SEMA gases 1% CO2 in air 110 ltr. UN1956
851713	184680	SEMA gases 15% CO2 in air 110 ltr. UN1956
851714	184679	SEMA gases 15% CO2 in N2 110 ltr. UN1956
851715	159958	SEMA gases 50 ppm CO in air 110 ltr. UN1956
851716	113271	SEMA gases 60 ppm CO in air 110 ltr. UN1956
851717	177163	SEMA gases 100 ppm CO in N2 110 ltr. UN1956
851718	13419	SEMA gases 191 ppm Ethanol in N2 34 ltr.
851719	116928	SEMA gases 10 ppm H2S in N2 58 ltr.
851720	113781	SEMA gases 25 ppm H2S in N2 58 ltr.
851721	130674	SEMA gases 40 ppm H2S in nitrogen 58 ltr.

IMPA Nummer | Artikel | Artikelomschrijving

851722	122799	SEMA gases 50 ppm H2S in N2 58 ltr.
851724	128708	SEMA gases Pure Nitrogen 110 ltr. UN1066
851725	113265	SEMA gases 2% Oxygen in N2 110 ltr. UN1956
851726	124723	SEMA gases 5% Oxygen in N2 110 ltr. UN1956
851727	158003	SEMA gases 10% Oxygen in N2 110 ltr. UN1956
851728	116083	SEMA gases 2% Methane in air (40% LEL) 34 ltr. UN1956
851729	116084	SEMA gases 2% Methane in air (40% LEL) 110 ltr. UN1956
851731	149055	SEMA gases 2.5% Methane in air (50% LEL) 110 ltr. UN1956
851732	120271	SEMA gases mixture 1.45% CH4, 15% O2/N2 110 ltr UN1956
851733	138563	SEMA gases mixture 2.5% CH4, 17% O2/N2 34 ltr. UN1956
851734	138562	SEMA gases mixture 2.5% CH4, 17% O2/N2 110 ltr. UN1956
851735	135653	SEMA gases 50% Vol. Methane in N2 34 ltr UN1954
851736	159962	SEMA gases 0.75% Pentane in air 110 ltr. UN1956
851737	931168	SEMA gases mixture 0.75% Pentane, 15% O2 in N2, 34 ltr. UN1950
851738	931169	SEMA gases mixture 0.75% Pentane, 15% O2 in N2, 110 ltr. UN1956
851739	134566	SEMA gases 0.55% Propane in air 110 ltr UN1956
851740	131887	SEMA gases 1.1% Propane in air 110 ltr UN1956
851741	123392	SEMA gases 20.8% O2 in N2 110 ltr. UN1956
851746	128865	SEMA gases mixture 1.45% CH4, 15% O2, 10 ppm H2S in N2/58 ltr UN1956
851747	82924	SEMA gases mixture 1.45% CH4, 15% O2, 10 ppm H2S, 300 ppm CO/N2-58 ltr UN1956 MSA-mixture
851748	82926	SEMA gases mixture 1.45% CH4, 15% O2, 60 ppm CO, 20 ppm H2S/N2-58 ltr UN1956 MSA-mixture
851749	155413	SEMA gases mixture 100 ppm CO, 25 ppm H2S, 2.2% CH4, 18% O2/N2-34 ltr UN1956
851750	136032	SEMA gases mixture 100 ppm CO, 40 ppm H2S, 2.2% CH4, 15% O2/N2-34 ltr UN1956
851751	149071	SEMA gases mixture 50 ppm CO, 10 ppm H2S, 2.5% CH4, 18% O2/N2-58 ltr UN1956 RAE mixture
851752	162427	SEMA gases mixture 100 ppm CO, 15 ppm H2S, 2.5% CH4, 18% O2/N2-58 ltr UN1956
851755	184404	SEMA gases mixture 100 ppm CO, 25 ppm H2S, 2.5% CH4, 18% O2/N2-58 ltr UN1956
851757	155401	SEMA gases mixture 50 ppm CO, 25 ppm H2S 2.5% CH4, 0.9% i-C4H10, 12% O2/N2-34 ltr UN1956
851758	82923	SEMA gases mixture 100 ppm CO, 25 ppm H2S, 1.1% C3H8, 19% O2/N2-58 ltr UN1956 Dräger-mixture

